# RIDERS THAT DEMAND PERFORMANCE, DEMAND PURE POLARIS LUBRICANTS.









BUILDMYSLED.COM | PUREPOLARIS.COM

All riders pictured are professionals on a closed course. Polaris<sup>\*</sup> recommends that all riders take a training course. Do not attempt maneuvers beyond your capability. Always wear a helmet and other safety apparel. Never drink and ride. Snowmobiles depicted in this brochure may feature PURE™ parts and accessories and are not standard features of the base model snowmobile they accompany. All performance and/or feature and benefit claims are based upon competitive data available at time of printing. For your nearest dealer, call 1-800-POLARIS or go to terraindomination.com.

Polaris Industries LTD. 50 Prairie Way, Winnipeg, Manitoba Canada R2J 3J8 (204) 925-7100 Fax (204) 925-7110 Polaris Sales Inc., 2100 Hwy. 55, Medina, MN 55340 (763) 542-0500 Fax (763) 542-0599









In addition to a full-line of parts and apparel, Polaris® also offers a complete line of financing and warranty options. See your dealer for more info.



StarCard Financing – Most convenient & quickest way to get a unit financed today!



**GE** Capital

Financing options

for purchases of new



Financing options for purchases of new Polaris® product



POLARISTAR is the only extended mechanical breakdown coverage backed by Polaris\*.

'Unless noted, trademarks are the property of Polaris Industries Inc. 3M' Reflective Material and Thinsulate' are registered trademark of 3M Corporation. 509" is a registered trademark of 509, Inc. AMARA' is a registered trademark of Kurary Co. Coolmax', Cordura', Lycra' and Thermolite' are registered trademarks of INVISTA North America SA.R.L. DuPont" and Kevlar' are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. PROTAPER' is a registered trademark of Loc Unit Invited Trademark of Invited Protations, Inc. QWICK-DRY' is a registered trademark of Invited Protations, Inc. QWICK-DRY' is a registered trademark of Invited Protations, Inc. QWICK-DRY' is a registered trademark of Invited Protations, Inc. P



**INSULATED** 

WARMTH

**HELMETS** PGS. 16-20

GOGGLES & Balaclavas

GLOVES & BOOTS


MEN'S LAYERING

WOMEN'S LAYERING

CAPS & BEANIES

COLLECTIBLES SIZING CHARTS



















**INSULATED** 



REFLECT THE WARMTH,

HEAT UP THE TRAILS

### **»** A COLLECTION FOR EVERY RIDER

PURE POLARIS®

Pure Polaris® has collections of riding gear to serve the needs of every rider. Mountain riders need to stay dry while riding aggressively all day, and trail riders need gear to keep them warm and riding even when temperatures plummet.

The FXR® Mountain and PURE-DRY® Collections serve the needs of mountain and aggressive trail riders enjoying mild temperatures. The FXR® Trail, PURE-HEAT™ and Pure Polaris® Collections keep riders warm and comfortable no matter how cold it gets.

Each collection includes essential riding gear – jackets, bibs, gloves and boots. Collections work best when worn together.



### » INTENSE STYLE, PEAK PERFORMANCE

Polaris® and FXR® have forged the ultimate riding gear. With these jackets, bibs & gloves, you'll crush peaks and post high marks long after the competition has gone home. FXR® styling and superior waterproof/breathable performance allow you to stay dry and on the gas from trail to tree line.



MEN'S UN-INSULATED PGS. 04-<u>05</u>

**MEN'S INSULATED** 


**WOMEN'S INSULATED** PGS. 12-15

### » KEEP DRY, KEEP RIDING

With lightweight, high-tech PURE-DRY® gear, high-performance riders will stay dry & comfortable all day. For extra warmth and exceptional heat & moisture transfer, add the new Mid-Layer between the PURE-DRY® base layer and outer layers, and you'll stay dry as you roast the competition. In any weather, at any elevation, keep dry & keep riding.



**PURE-DRY®: TECHNOLOGY BREAKDOWN** 



By quickly evaporating the bodies moisture, the rider stays dry and comfortable

### EFFECTIVE PURE-DRY LAYERING









STRETCH BACK /STDF PANFIS

> TWO-WAY YKK® WATERPROOF **FULL-LEG** SIDE ZIPPERS

> > REMOVARI E KNEE ARMOR

Pure-Dry® delivers increased performance when worn as a layered system... that's MORE breathability as you layer.



### C. PURE-DRY® VAPOR JACKET UN-INSULATED

SHELL: 100% Nylon shell. Un-insulated; mesh-lined for comfort, unrestricted movement and easy on/off. Layer as conditions demand.

WATERPROOF BREATHABLE: 10,000mm/20,000g. Cocona® Xcelerator fabric technology promotes rapid moisture transfer and evaporation, and delivers the latest innovations in waterproof, breathable performance. 2-way YKK® waterproof

**VENTILATION:** Underarm and back vents have mesh gussets to prevent snow from getting inside jacket; 2-way zip underarm vent and vertical back vent (won't interfere with a backpack).

2862024 | Black | Men's S - 3XL, MT - 2XLT

2863046 | Red | Men's S - 3XL



2863046 | Red

**PUREDRY** 

2862024 | Black

### D. PURE-DRY® VAPOR BIB UN-INSULATED

2-WAY YKK WATERPROOF ZIPPER

SHELL: 100% nylon shell, un-insulated. Layer as conditions demand.

WATERPROOF BREATHABLE: 10,000mm/20,000g. Cocona®† Xcelerator fabric technology promotes rapid moisture transfer and evaporation, and delivers outstanding waterproof. Two-way YKK® waterproof front and full-leg side zippers. Reinforced seat.

VENTILATION: Full-length side zipper opens to upper thigh.

2862031 | Black | Men's, S - 3XL, MT - 2XLT



LAYERING

**PURE-DRY® BASE LAYERS** 

HELMETS PGS. 16-20

**GOGGLES 8** BALACLAVAS

GLOVES & BOOTS PGS. 22-23

MEN'S LAYERING

MEN'S CASUALWEAR

WOMEN'S LAYERING

WOMEN'S CASUALWEAR

CAPS & BEANIES

PROTECTION &

COLLECTIBLES

SIZING CHARTS



**GLOVES PURE-DRY® TAHOE GLOVE** 



INTERNAL GAITERS



### » FRESH STYLE, HOT PERFORMANCE

Industry leaders FXR® & Polaris® have joined forces to create riding gear that brings the heat with fresh style. With premium insulation, brilliant construction & innovative versatility, these insulated jackets, bibs, gloves & boots steamroll the chill so you can rule the trails and the track. Suit up and dominate.



AD HISTARI F HEM I FNGTH

HELMETS PGS. 16-20

GOGGLES & BALACLAVAS PG. 21

GLOVES & BOOTS PGS. 22-23

MEN'S LAYERING PG. 24

MEN'S CASUALWEAR PGS. 25-27

WOMEN'S LAYERING

WOMEN'S CASUALWEAR PG. 29

CAPS & BEANIES PGS. 30-31

PROTECTION & BAGS PG. 34

COLLECTIBLES PG. 35

SIZING CHARTS PG. 35







C. FXR® THROTTLE JACKET INSULATED

WARMTH: 420/600-denier Nylon/Poly shell. 200g Thermal Flex removable insulated liner.

WATERPROOF BREATHABLE: 10,000mm/8000g.

**VENTILATION:** Waterproof zippered chest vents with "Dry Vent" mesh inserts.

2863051 | Retro | Men's S - 3XL

2863048 | Collide Print/VooDoo Blue | Men's S - 3XL

2863049 | Collide Print/Orange | Men's S - 3XL

2863050 | Collide Print/Red | Men's S - 3XL





ADULT SIZE CODES FOR ORDERING	See pg 35 for size & fit charts
Don't forget to add the two-digit size code at the	end of the part number!

2863051 | Retro

XS = 01	M = 03
S = 02	M - Short = 04

2863049 | Print/Orange

### MEN'S OUTERWEAR

### » REFLECT THE WARMTH, HEAT UP THE TRAILS



When temps drop, zip up PURE-HEAT™ gear and heat up the trails. Introducing snowmobilers to amazing new reflective lining technology that harnesses body heat 6 keeps you up to 20% warmer. Plus, you choose whether to seal in the heat or open up for airflow with a removable liner 6 zippered vents. Bring that to the trails!



S=02

M - Short = 04

L=06

L - Tall = 08

2XL = 12

3XL = 14

XL Short = 10

5XL=16

Don't forget to add the two-digit size code at the end of the part number!

MEN'S UN-INSULATED PGS. 04-05

MEN'S INSULATED

**WOMEN'S INSULATED** PGS. 12-15

HELMETS PGS. 16-20

**GOGGLES &** BALACLAVAS PG. 21

GLOVES & BOOTS PGS. 22-23

MEN'S LAYERING PG. 24

MEN'S CASUALWEAR

WOMEN'S LAYERING

WOMEN'S

CASUALWEAR PG. 29

CAPS & BEANIES PGS. 30-31





### C. RIPPER JACKET INSULATED

WARMTH: 420-denier Ripstop nylon/660-denier black nylon Taslan® shell. 200g insulation in body, 150g in sleeves.

WATERPROOF BREATHABLE: 3000mm/3000q, Critical seams sealed.

VENTILATION: Underarm vents.

2862017 | Red | Men's S - 3XL, LT - 2XLT

2862018 | Black | Men's S - 3XL, LT - 2XLT

2862018 | Black | Men's 4XL - 5XL

2863052 | Retro | Men's S - 3XL, LT - 2XLT

2863052 | Retro | Men's 4XL - 5XL

2860139 | iPod®† Controller\*

\*See pg 34 for more details





-4-WAY STRETCH Side Panels

LOWER BACK PADDING

LEG ZIPPERS

PROTECTION & BAGS PG. 34

YOUTH PGS. 32-33

COLLECTIBLES PG. 35

SIZING CHARTS PG. 35

POLARIS

### D. RIPPER BIB

INSULATED

WARMTH: 420-denier Ripstop nylon/660-denier black Taslan®, 900x900-denier heavy polyester Oxford fabric on knees and lower inner leg for durability. 200g fixed insulation. WATERPROOF BREATHABLE: 3000mm/3000g. Critical seams sealed.

2863063 | Black | Men's S - 3XL, MT - 2XLT

2863063 | Black | Men's 4XL - 5XL









PURE-DRY® BASE LAYERS



POLARIS

### A. TORQUE JACKET INSULATED

WARMTH: 420-denier Ripstop nylon, Black 300x600-denier Polyester Oxford, Black nylon Cateye shell. 200g insulation in body, 150g in sleeves.

WATERPROOF BREATHABLE: 3000mm/3000g. Critical shoulder seams are sealed.

2863053 | Indy® Red | Men's S - 3XL

2863054 | Indy® Blue | Men's S - 3XL

2863055 | VooDoo Blue Print | Men's S - 3XL



2863054 | Indy® Blue



2863055 | VooDoo Blue Print



B. TORQUE BIB INSULATED

WARMTH: Black 300x600-denier polyester oxford shell, 600x600 denier sublimated polyester oxford, Nylon Cateye at knees and lower interior legs for durability. 170g fixed insulation.

WATERPROOF BREATHABLE: 1000mm polyurethane coating. Critical areas seam-sealed.

2863064 | Black | Men's S - 3XL

2863065 | VooDoo Blue Print | Men's S - 3XL

2863053 | Indy® Red



BACK ELASTIC STRETCH PANEL





**BOOTS** FXR® OCTANE BOOT

LAYERING PURE-DRY® BASE LAYERS

ADJUSTABLE HEM (MAKE BIBS 2" SHORTER

MEN'S UN-INSULATED PGS. 04-05

MEN'S INSULATED

**WOMEN'S INSULATED** PGS. 12-15

**HELMETS** PGS. 16-20

**GOGGLES &** BALACLAVAS

**GLOVES & BOOTS** PGS. 22-23

MEN'S LAYERING PG. 24

MEN'S CASUALWEAR

**WOMEN'S LAYERING** PG. 28

WOMEN'S CASUALWEAR PG. 29







F. RACE PANT UN-INSULATED

SHELL: 660-denier Taslan®†/500-denier inner leg, un-insulated, mesh lining.

WATERPROOF BREATHABLE: 3000mm/3000g.

2863001 | Black | Men's S - 2XL



C. RACE CREW JACKET INSULATED

WARMTH: 660-denier Taslan®, Textured Nylon Dobby shell. 200g insulation in body, 150g in sleeves.

WATERPROOF BREATHABLE: 3000mm/3000g. Critical seams sealed.

**VENTILATION:** Underarm vents.

2863002 | Black | Men's S - 3XL



### D. RACE SHELL JACKET UN-INSULATED

SHELL: 660-denier Taslan black, 420-denier Ripstop Nylon shell, 600x600 denier Polyester Oxford sublimated panels. Un-insulated, mesh lining.

WATERPROOF BREATHABLE: 3000mm/3000g.

VENTILATION: Back vents.

2863000 | Orange/Black | Men's S - 2XL



E. LEADER JACKET INSULATED

WARMTH: Black 300x600-denier polyester oxford, 600x600-denier sublimated polyester oxford shell. 140g fixed insulation.

WATERPROOF BREATHABLE: 600mm Polyurethane coating.

2863056 | Black | Men's S - 3XL



CAPS & BEANIES

PROTECTION & BAGS PG. 34

COLLECTIBLES

SIZING CHARTS PG. 35

⊕ P@LARIS COLLECTION









### **»** FRESH STYLE, HOT PERFORMANCE

Industry leaders FXR® & Polaris® have joined forces to create riding gear that brings the heat with fresh style. With premium insulation & innovative versatility, these insulated jackets, bibs, gloves & boots mix flattering FXR® style with brilliant construction tough enough for the trails and the track.





### » REFLECT THE WARMTH. HEAT UP THE TRAILS.

When temps drop, zip up PURE-HEAT™ gear and heat up the trails. Introducing snowmobilers to amazing new reflective lining technology that harnesses body heat & keeps you up to 20% warmer. The collection features a feminine style, a removable liner and zippered vents to keep you looking good and feeling comfortable.



### **PURE-HEAT™: TECHNOLOGY BREAKDOWN**



Don't fear the mercury dropping. PURE-HEAT" reflective lining technology harnesses body heat to keep you up to 20% warmer.



### D. PURE-HEAT™ ADVENTURE JACKET INSULATED

WARMTH: 500-denier Nylon Cordura® shell. Shell has 60g body/40g sleeves insulation and a fleece lining around the neck for added comfort. Removable Liner has DuPont® ComforMax mid-loft insulation, 120g body/80g sleeves, quilted; Reflective lining adds up to 20% more warmth.

WATERPROOF BREATHABLE: 2500mm/5000g; fully seam-sealed.

NEW

**VENTILATION:** 2 underarm vents, 2 chest vents. YKK® waterproof zippers on all vents.

2863059 | Black | Women's S - 3XL





### E. PURE-HEAT™ ADVENTURE BIB INSULATED

WARMTH: 500-denier Nylon Cordura® shell, reinforced heavier duty knee, hip/seat and interior along the side of the leg. DuPont® ComforMax Mid-Loft insulation, 120g, quilted; Reflective lining adds up to 20% more warmth.

WATERPROOF BREATHABLE: 2500mm/5000g; fully seam-sealed.

**VENTILATION:** 2 vents on the sides of the legs. YKK® waterproof zipper.

2863066 | Black | Women's S - 3XL











MEN'S UN-INSULATED PGS. 04-05

MEN'S INSULATED

WOMEN'S INSULATED

HELMETS PGS. 16-20

**GOGGLES &** BALACLAVAS

GLOVES & BOOTS PGS. 22-23

MEN'S LAYERING

MEN'S CASUALWEAR

WOMEN'S LAYERING

WOMEN'S CASUALWEAR

**CAPS & BEANIES** 

REFLECTIVE LINING

STRETCH SIDE

WATST RAND

**PANFIS** ADJUSTABLE PROTECTION &

COLLECTIBLES

SIZING CHARTS PG. 35



### POLARIS

### A. DIVA JACKET INSULATED

WARMTH: 420-denier Oxford nylon/660-denier black Taslan®† with white panels of Polytex®, 200g insulation in body, 150g insulation in sleeves.

WATERPROOF BREATHABLE: 3000mm/3000g. Critical shoulder seams sealed.

**VENTILATION:** Underarm vents.

2862027 | Magenta | Women's S - 2XL

2862026 | Black | Women's S - 2XL

2860139 | iPod®† Controller\*

\*See pg 34 for more details



STRETCH SIDE PANELS B YKK® WATERPROOF SIDE ZIPPER

ADJUSTABLE

PRE-CURVED

KNEEES

SUSPENDERS

POLARIS

### B. DIVA BIB INSULATED

WARMTH: 420-denier Oxford nylon/660-denier Taslan.®† 900x900-denier heavy polyester oxford on knee and lower inner leg for durability.

WATERPROOF BREATHABLE: (3000mm/3000g). Waterproof YKK®† leg zippers. Critical seams sealed.

2862033 | Magenta | Women's S - 2XL

2863153 | Black | Women's S - 3XL, MT - XLT





2863061 | Black/Blue



D. ROYAL BIB INSULATED

 $\textbf{WARMTH: } 300x600\text{-}denier\ polyester\ oxford/nylon\ cateye\ at\ knees\ and\ inner\ leg\ for$ durability. 170g fixed insulation.

WATERPROOF BREATHABLE: 1000mm polyurethane coating.

2863067 | Black | Women's S - 2XL



MEN'S UN-INSULATED PGS. 04-05

MEN'S INSULATED PGS. 06-11

WOMEN'S INSULATED PGS. 12-15

HELMETS PGS. 16-20

GOGGLES & BALACLAVAS PG. 21

**GLOVES & BOOTS** PGS. 22-23

MEN'S LAYERING PG. 24

MEN'S CASUALWEAR PGS. 25-27

WOMEN'S LAYERING

WOMEN'S CASUALWEAR PG. 29

CAPS & BEANIES PGS. 30-31

YOUTH PGS. 32-33

PROTECTION & BAGS PG. 34

COLLECTIBLES PG. 35

SIZING CHARTS PG. 35

2862056 | Black

### FIBERGLASS SHELL



HELMETS FULL-FACE

ratchet system.

 $\textbf{BREATH DEFLECTOR:} \ \ Pure Seal^{\texttt{IM}} \ Technology \ features \ closed-cell \ foam \ with \ new \ improved$ adhesive around the breath deflector and ports to help create a tight seal, redirecting

2862057	Red   XS-4XL
2862058	Silver   XS - 4XL
2862056	Black   XS - 4XL
REPLACEM	ENT PARTS
2868212	Clear replacement shield (Double-Pane)
2868445	Clear shield, Anti-Fog (Single-Pane)
2869485	Smoke shield (Single-Pane)
2868215	Electric shield
2868217	Electric cord replacement
2863177	Breath deflector
2867496	Breath deflector extendable tubes
200011111	I Batalat Iditalada

2868444 | Ratchet kit/side plate 2862132 | Chin Vent 2862133 | Valance 2878475 | 12v Outlet, RUSH®, IQ® Chassis - All except 600 carb

REMOVABLE

MOISTURE WICKING

QWIKDRY

### **B. CYCLONE ADV HELMET**

2878227 | '10-12 RUSH®, IQ®, RCA Adapter

**SHELL:** Strong, lightweight fiberglass with lightweight, impact-absorbing EPS liner for outstanding impact protection.

2862057 | Red

SHIELD: Dual-pane shield. Anti-fog and anti-scratch coatings. Quick release

**VENTS:** Dual venturi exhaust vents, elongated crown vents, chin and rear exhaust vents. breath outside the helmet to prevent fogging.

SAFETY: SNELL® 2010 and DOT certified through size 2XL; DOT-approved through 4XL.

PURE-SEAL™: TECHNOLOGY BREAKDOWN

YOUR BREATH OUTSIDE THE HELMET.

re-directing breath outside the helmet to prevent fogging.

» Allows for maximum visibility and rider comfort.

**ANTI-FOG HELMET SHIELD TECHNOLOGY** 

PURESEAL™ TECHNOLOGY WORKS BY REDIRECTING

» Closed cell foam around breath deflector and ports help create tight seal,

QUICK RELEASE

RATCHET SYSTEM

FEATURED IN CYCLONE ADV & AF 2.0 HELMETS

L - Short = 07

L - Tall = 08

XL = 09

M - Tall = 05

M-Short = 04 L = 06

XS = 01

S = 02

#### 2XL Tall = 13 XL Tall = 11 XL Short = 10 2XL = 12 3XL = 14 5XL=16

2861170 | Black

2861234 | Clear replacement shield 2861235 | Electric shield 2861236 | Electric cord replacement 2862136 | Breath Deflector 2862137 | Breath Guard 2862138 | Chin Bar Axle Kit 2862139 | Chin Curtain

2862140 | Ratchet Kit/Side Plate

2878227 | '10-12 RUSH,® IQ,® RCA Adapter

2878475 | 12v Outlet, RUSH,® IQ® Chassis - All except 600 carb

ADULT SIZE CODES FOR ORDERING See pg 35 for size & fit charts

Don't forget to add the two-digit size code at the end of the part number!

# HELMETS FULL-FACE



### A. AF-2.0 HELMET

SHELL: Polycarbonate and ABS alloy; dual-density, impact-absorbing EPS liner.

SHIELD: Dual-pane shield. Anti-fog and anti-scratch coatings. Quick release ratchet system.

**VENTS:** Chin vent, rear spoiler vent, top vent.

**BREATH DEFLECTOR:** PureSeal™ Technology features closed-cell foam with new improved adhesive around the breath deflector and ports to help create a tight seal, redirecting breath outside the helmet to prevent fogging.

SAFETY: SNELL® 2010 and DOT-approved.
2863180   Retro   XS-2XL
2863178   Red   XS-2XL
<b>2863179</b>   Silver   XS-2XL
<b>2863080</b>   Indy® Red/Gloss   XS - 2XL
2 <b>863081</b>   Indy® Blue/Gloss   XS - 2XL
<b>2863181</b>   Black   XS-2XL
REPLACEMENT PARTS
2868212   Clear shield (Double-Pane)
2868445   Clear shield, Anti-Fog (Single-Pane)
2869485   Smoke shield (Single-Pane)
2868215   Electric Shield
2868217   Electric cord replacement
2863177   Breath deflector
2867496   Breath deflector extendable tubes
2868444   Ratchet kit/side plate
<b>2862128</b>   Chin Vent
2862129   Valence
2878475   12v Outlet, RUSH,® IQ® Chassis - All except 600 carb
<b>2878227</b>   '10-12 RUSH.®IO.®RCA Adapter









2863179   Silver	

L = 06

NEW



P\*LARIS





2863077 | Retro



2863079 | Northern Safari

BREATH DEFLECTOR INCLUDED



### B. FLY F2 CARBON SNOW HELMET NEW

SHELL: Composite construction shell made of state of the art, aircraft-grade woven carbon fiber and Kevlar® composite materials for superior strength and light weight; dual density EPS (Expanded Polystyrene) liner, one layer softer and one slightly harder, combining to provide more progressive impact absorption for different levels of impact.

**VENTS:** Multi-port air induction cooling system, 11 intake and four exhaust vents, and tri-vent goggle anti-fog vents.

**INTERIOR:** "Quick Snap" system, removable washable comfort liner and cheek pads; the plush liner absorbs sweat and ventilates.

ADDITIONAL FEATURES: Comes with breath deflector and rubber vent plug kit; protective nose guard; lightweight aluminum hardware.

SAFETY: SNELL® M2010-, DOT- and ECE-approved.

**2863079** | Northern Safari | XS - 2XL **2863078** | Platinum Ice | XS - 2XL

2863077 | Retro | XS - 2XL

REPLACEMENT PARTS

2863161 | Replacement visor | Northern Safari

2863160 | Replacement visor | Platinum Ice

2863159 | Replacement visor | Retro

2863162 | Replacement visor screw kit

2863163 | Replacement mouth piece

2863164 | Replacement cold weather plug kit 2863165 | Replacement breath deflector

### COMPOSITE CONSTRUCTION SHELL

Outer shell is constructed using state-of-the-art, aircraft grade woven carbon fiber and Kevlar® composite materials, which creates superior strength while remaining extremely light.




### **DUAL DENSITY EPS LINER**

Two layers of Expanded Polystyrene, one softer one slightly harder, combine to give you more progressive impact absorption.



### MULTI PORT AIR INDUCTION COOLING SYSTEM

Eleven intake and four exhaust vents create massive airflow to keep your head cool. So cool, that we include an air vent plug kit to keep you warm and cozy when riding in cold weather.



MEN'S UN-INSULATED PGS. 04-05

MEN'S INSULATED PGS. 06-11

**WOMEN'S INSULATED** PGS. 12-15

#### HELMETS PGS. 16-20

GOGGLES S BALACLAVAS PG. 21

GLOVES & BOOTS PGS. 22-23

MEN'S LAYERING

MEN'S CASUALWEAR PGS. 25-27

WOMEN'S LAYERING

WOMEN'S CASUALWEAR

CAPS & BEANIES

F00.00 01

YOUTH PGS. 32-33

PROTECTION S BAGS PG. 34

COLLECTIBLES

SIZING CHARTS PG. 35

# HELMETS WOTO

### A. DEMON 1.1 HELMET

**SHELL:** Lightweight, protective composite fiberglass with a dual-density EPS liner. The EPS liner absorbs impact, and its two layers are engineered to position increased density in specific impact-prone areas to provide the most effective protection.

**VENTS:** Aerodynamic, multi-channel flow-through ventilation system introduces fresh cooling air that flows over and around the rider's head, then exhausts out rear vents for enhanced rider comfort.

**ADDITIONAL FEATURES:** Removable molded roost deflector protects the nose/face from debris; adjustable chin strap.

SAFETY: SNELL® M2010/D0T-approved.

<b>DAFELT:</b> DIVELLY MICUTO/DOT-approved.
2861248   Red Matte   S - 3XL
<b>2861249</b>   Silver Matte   S - 3XL
2863152   Orange Madness Matte   S - 3XL
REPLACEMENT PARTS
2861250   Replacement Visor   Red
2861251   Replacement Visor   Silver
2863157   Replacement Visor   Orange
2861233   Breath Deflector
2869484   Visor Screw vit



### **B. TENACITY HELMET**

SHELL: Lightweight polycarbonate.

VENTS: Mouth air intake vent, eyebrow vents and six rear vents.

**ADDITIONAL FEATURES:** Padded chin straps, large eye port, nose guard, double D-ring for strap security.

SAFETY: DOT/ECE-approved.

2863154	Retro Gloss   S - 2XL
2862062	Orange Gloss   S-2XL
2862236	Red Gloss   S-2XL
2862237	Magenta Gloss   S - 2XL
2860144	Black Matte   S-2XL
REPLACEN	IENT PARTS
2863158	Replacement visor   Retro Gloss
2862123	Replacement visor   Orange Gloss
2862243	Replacement visor   Red Gloss
2862244	Replacement visor   Magenta Gloss
2860204	Replacement visor   Black Matte
2861233	Breath Deflector
2862120	Visor screw kit















2862237 | Magenta Gloss

### GOGGLES ///

### C. 509™ AVIATOR SNOWMOBILE GOGGLES

FRAME: Minimized-depth frame has triple-layered foam for a comfortable fit on a rider's face. The rimless design allows the lens surface to easily shed snow, thus preventing snow build-up to keep vision clear on even the snowiest days.

LENS: Dual-pane, cold weather-specific smoke tint lens has a bronze mirror finish and is made of shatterproof material; lens has seven foam-lined vents, is 100% UV blocking. and has anti-fog and anti-scratch coatings.

STRAP: Triple silicon-lined strap keeps the strap and goggle securely in place.

ADDITIONAL FEATURES: Removable nose mask, Polaris® branding on the strap.

2863032 | Aviator Goggle, Signature (Smoke Tint, Bronze Mirror Finish Lens)

2863033 | Aviator Goggle, Retro (Smoke Tint, Bronze Mirror Finish Lens)

LENSES AND ANTI-FOG FAN

2863034 | Aviator Lens | Smoke Tint/Bronze Mirror Finish Lens

2863035 | Aviator Lens | Yellow Tint Lens

2863040 | Anti-Fog Fan

### D. 509™ SINISTER SNOWMOBILE GOGGLES

FRAME: Features 14 vents across the top, sides, bottom and the lens to create a continual flow of cool, comfortable air. This airflow exhausts all the hot air out the bottom of the goggle and keeps the lens fog free.

LENS: Dual-pane, cold weather-specific yellow tint lens has a chrome finish and is made of shatterproof material; lens has four foam-lined vents, is 100% UV blocking, and has anti fog and anti scratch coatings.

STRAP: Triple silicon-lined strap keeps the strap and goggle securely in place. Hinged strap mounts are designed to work specifically with open-faced MX-style helmets. Optimized seal against the face. No air or moisture leaks inside the goggle.

ADDITIONAL FEATURES: Removable nose mask, Polaris® branding on the strap.

2863037 | Sinister Goggle, Chris Burandt Special Edition (Yellow Lens)

2863036 | Sinister Goggle, Signature (Yellow Tint, Chrome Finish Lens)

LENSES AND ANTI-FOG FAN

2863167 | Sinister Lens | Polarized Yellow Lens

2863038 | Sinister Lens | Yellow

2863039 | Sinister Lens | Yellow Tint/Chrome Finish

2863166 | Sinister Lens | Clear

2863040 | Anti-Fog Fan









MEN'S UN-INSULATED PGS. 04-05

MEN'S INSULATED PGS. 06-11

WOMEN'S INSULATED

HELMETS PGS. 16-20

GOGGLES & Balaclavas

**GLOVES & BOOTS** PGS. 22-23

MEN'S LAYERING

MEN'S CASUALWEAR

WOMEN'S LAYERING

WOMEN'S CASUALWFAR

**CAPS & BEANIES** 

PROTECTION &

COLLECTIBLES

SIZING CHARTS

# BALACLAVAS 🚜



### E. FXR® STAR PRINT BALACLAVA

- » 190g polyester elastane.
- » Brushed finish interior.
- Windproof plastisole graphics.

2863083 | One size fits most

### F. MID-WEIGHT STRETCH FLEECE BALACLAVA

- » 90% polyester/10% spandex.
- >> Brushed finish interior.

2863085 | One size fits most | Pack of 6

### G. BASIC BALACLAVA

» 95% polyester/5% spandex.

2862366 | One size fits most | Pack of 6







A. FXR® GLOVE INSULATED

WARMTH: 200-denier/420-denier Neoprene shell back of hand, Clarino® palm with Amara® re-enforcements. 250g Thinsulate™ insulation on back of hand & thumb, 200g on palm.

**WATERPROOF BREATHABLE:** Hipora®t waterproof/breathable membrane.

SAFETY: 3M® Reflective piping.

ADDITIONAL FEATURES: Adjustable strap, goggle wiper and wrist drawcord.

2863073 | Retro | S-3XL

2862081 | Black | S-2XL

2863072 | Red | S-2XL

2863074 | Black | Women's S - XL

### THE MADE FOR POLARIS®

B. FXR® MITTEN INSULATED

WARMTH: Durable nylon with full grain leather palm and reinforcements. 300g Thinsulate™ insulation on back of hand and thumb, 200g palm.

WATERPROOF BREATHABLE: Hipora® waterproof/breathable membrane. ADDITIONAL FEATURES: Fleece lining, wrist adjustment strap, embossed fleece panel across the knuckles, shock-cord adjustable storm cuff, 3M® reflective piping.

2863071 | Black | XS-3XL

### TEXAS MADE FOR PALARIS

C. FXR® ZONE MOUNTAIN GLOVE

INSULATED

WARMTH: Tough 4 way stretch shell material with full grain cowhide leather palm and Clarino® reinforcements with traction print on palm. Thinsulate™ insulation, 100g back of hand and thumb. Un-insulated on palm. Fleece lining.

**WATERPROOF BREATHABLE:** Hipora®† waterproof/breathable membrane. ADDITIONAL FEATURES: Adjustable cuff and goggle wiper.

2863043 | Black | S-3XL



22



### D. PURE-DRY® PRIMO GLOVE INSULATED

WARMTH: Nylon Oxford, Nylon Ripstop shell; cowhide leather palm with rolled fingertips; cowhide fourchettes, cowhide inserts on back of hand; Amara® palm. 200g Thinsulate™ on back, 80g on palm. Odor Inhibitor and moisture management lining.

WATERPROOF BREATHABLE: Waterproof/breathable membrane.

ADDITIONAL FEATURES: Adjustable strap, gauntlet cuff with interior neoprene cuff, goggle wiper and reflective piping.

2863150 | Black | S-3XL

2863151 | Red | S - 2XL



### E. PURE-DRY® TAHOE GLOVE UN-INSULATED

WARMTH: Nylon/Spandex (91/9%). Un-insulated.

WATERPROOF BREATHABLE: Cocona®† Xcelerator glove membrane technology promotes rapid moisture transfer and evaporation, and features the latest technology to deliver waterproof performance.

ADDITIONAL FEATURES: Chamude® synthetic leather palm, snug fit.

2862116 | Black | S-2XL

MEN'S UN-INSULATED PGS. 04-05

MEN'S INSULATED PGS. 06-11

**WOMEN'S INSULATED** PGS. 12-15

HELMETS PGS. 16-20

**GOGGLES &** BALACLAVAS

GLOVES & BOOTS PGS. 22-23

MEN'S LAYERING

MEN'S CASUALWEAR

WOMEN'S LAYERING

WOMEN'S CASUALWEAR

CAPS & BEANIES

PROTECTION &

COLLECTIBLES

SIZING CHARTS PG. 35

### F. DEFENSE LEATHER GLOVE INSULATED

WARMTH: Goat skin leather. Thermolite®† plus insulation, 200g on back of hand and palm.

WATERPROOF BREATHABLE: Hipora®† waterproof/breathable membrane.

2862066 | Black | S-2XL



### G. CRANK GLOVE INSULATED

WARMTH: 660-denier Taslan®† /420-denier Ripstop nylon. Goat skin leather palm. Primaloft®t insulation, 120g on back of hand, 120g on palm side needled insulation on palm side to reduce slippage.

WATERPROOF BREATHABLE: Hipora®† waterproof/breathable membrane.

2862064 | Black | S-2XL

2862065 | Red | S-2XL



### H. ALL-SNOW GLOVE INSULATED

**WARMTH:** Nylon shell with a Clarino<sup>®</sup> palm and extra palm reinforcements; suede knuckles. 4 oz. (120g) Primaloft® insulation on back of hand and on palm side.

WATERPROOF BREATHABLE: Aquatex waterproof membrane.

SAFETY: Reflective piping.

2863075 | Black | Men's S - 3XL

2863076 | Black | Women's S - 2XL

# BOOTS



MEN'S

### I. FXR® OCTANE BOOT

WARMTH: -50 degree rating during moderate activity; multi-layer insulation provides optimum warmth and protection; removable liner with integrated support inserts.

NEW

WOMEN'S

**UPPERS:** Highly water-resistant upper that is stiff for increased support.

SOLES: High-traction rubber out-sole, EVA foam cushioned mid-sole.

WATER RESISTANT: Highly water resistant outsole with seam-sealed waterproof/ breathable inner membrane.

ADDITIONAL FEATURES: Air cell-cushioned heel insert, upper lace eyelet holes, wrapped kick toe feature; removable liner features a double, upper and lower speedlace system for maximum support.

2863041 | Black | 9-13



ADULT SIZE CODES FOR ORDERING See pg 35 for size & fit charts Don't forget to add the two-digit size code at the end of the part number!

XS = 01

S = 02

M - Short = 04

M - Tall = 05 L=06

L - Short = 07 L - Tall = 08

XL = 09

2XL = 12 XL Short = 10

XL Tall = 11 2XL Tall = 13 3XL = 14

4XL=15 5XL=16 23

### MEN'S LAYERING

STEP 1

### **BASE LAYER**



Base layer needs to wick sweat away from your skin. Polyester is good, cotton is bad.

### STEP 2

### INSULATING LAYER



Insulating layer must work with the base layer to transfer moisture. Polyester and fleece are best. Includes Mid layer and Mid-heavier layer.

#### STEP 3

### **OUTER LAYER**



Outer layer must block wind and allow moisture to escape. Add or remove layers as needed to stay warm and comfortable.



### A. PURE-DRY® BASE LAYERS

BAS

- >> 100% Polyester knit.
- » Cocona® technology for rapid moisture transfer.
- » Pill-proof durability.
- >> Features mock neck design.

2862039 | Men's Shirt, Black | S - 2XL

2862040 | Men's Pant, Black | S - 2XL

### B. POLARIS®

### PERFORMANCE SHIRT

BASE

>> Jersey polyester, stretch material, brushed fleece interior.

2863025 | Quarter-Zip, Black | S - 2XL

### C. POLARIS® FLEECE

MID INSULATING

» Polar Fleece.

2863023 | Black | S-3XL

2863024 | Quarter-Zip, Black | S - 3XL



### D. PURE-DRY® MID LAYER SHIRT

MID INSULATING

>> Cocona® impregnated polyester (78% recycled) accelerates drying.

2863138 | Black | S-2XL

2863139 | Red | S-2XL

### E. POLARIS® SOFTSHELL

MID-HEAVIER INSULATING

- >> 5,000mm/5,000g waterproof/breathable softshell, mesh interior.
- >> Underarm vents with waterproof zippers.
- >> Waterproof front zipper.

2863021 | Black | S-3XL

### F. POLARIS® WINDBLOCK MID-HEAVIER INSULATING

- >> 10,000mm waterproof windblock exterior material.
- >> Fleece interior & waterproof zippers.

2863022 | Black/Gray | S-2XL



### G. FXR® SOFTSHELL HOODIE MID-HEAVIER INSULATING

- >> Wind and water-resistant tri-laminate 4-way stretch shell.
- >> 2,000mm/2,000g/m2 waterproof/breathable.
- >> Warm moisture wicking bonded fleece interior.
- >> FXR® exclusive "Dry Vent System" and side-vent zippers with "Dry Vent" inserts.

2863086 | Star Print | S - 3XL





## MEN'S CASUALWEAR NEW

### H. POLARIS® HOCKEY JERSEY

- » 100% polyester.
- >> Number "54" on the back.

2863090 | Red | S-2XL

### I. POLARIS® SWEATER

- » Polyester fleece interior, polyester knit exterior.
- >> Two zippered front handwarmer pockets.
- >> Full-zip front with zipper garage by neck, dropped back.

2863089 | Dark Gray | M - 2XL







MEN'S UN-INSULATED PGS. 04-05

MEN'S INSULATED PGS. 06-11

WOMEN'S INSULATED

**HELMETS** PGS. 16-20

GOGGLES & BALACLAVAS PG. 21

GLOVES & BOOTS PGS. 22-23

MEN'S LAYERING

### MEN'S CASUALWEAR

WOMEN'S LAYERING

WOMEN'S CASUALWEAR

CAPS & BEANIES

YOUTH DEC 22.2

PROTECTION S

COLLECTIBLES

SIZING CHARTS PG. 35

4XL=15

5XL=16

MEN'S UN-INSULATED

MEN'S INSULATED

WOMEN'S INSULATED

**HELMETS** PGS. 16-20

GOGGLES S BALACLAVAS

GLOVES & BOOTS PGS. 22-23

## MEN'S CASUALWEAR NEW



### POLARIS® LONG SLEEVED SHIRTS

A. 2863097	Baseball Heavyweight, White/Gray   M - 3XL   100% Cotton
B. 2862202	Performance, Gray   M - 3XL   100% Microfiber Polyester
C. 2863094	Thermal, Gray   M - 2XL   60% Cotton/40% Polyester
D. 2863013	Impulse Tee, Navy   M - 2XL   100% Cotton
E. 2863014	Momentum Tee, Red   M - 2XL   100% Cotton

F. 2863095 | Polaris® Signature, Black | M - 2XL | 100% Cotton G. 2863096 | Retro Signature, Blue | M - 4XL | 100% Cotton

H. 2862368| Performance Camo Pocket Tee, Black | M - 2XL | 70% Cotton/30% Dri Balance



BACK SHOWN





### POLARIS® PIT SHIRTS 65% Polyester/35% Cotton

I. 2863017   Race , Black   M - XL	
I. 2863017   Race , Black   2XL - 3XL	
J. 2863087   Retro, Light Blue   S - XL	
J. 2863087   Retro, Light Blue   2XL - 5XL	

ADULT SIZE CODES FOR ORDERING See pg 35 for size & fit charts XS = 01 XL Tall = 11 2XL Tall = 13 4XL=15 L-Short = 07 XL = 09 Don't forget to add the two-digit size code at the end of the part number! S = 02 M-Short = 04 L = 06 3XL = 14 5XL=16



### K. POLARIS® PERFORMANCE POLO

>> 100% Polyester.

2862082 | Navy | M - 2XL

>> 100% Cotton.

2863088 | Black | M-3XL



### POLARIS® TEE SHIRTS

M. 2863100 | Retro Patch Tee, Navy | M - 3XL | Premium Cotton Knit

N. 2862369| Hunter's Tee, Brown | M - 2XL | 100% Cotton

0. 2863098 | Denim Tee, Gray | M - 2XL | 100% Cotton

P. 2863144 | Indy® Tee, White | M - 2XL | 100% Cotton Slub

Q. 2863169 | Patchwork Tee, Gray | M - 2XL | 100% Cotton

R. 2863012 | Force Tee, Black | M - 3XL | 100% Cotton

S. 2863104 | Element Pocket Tee, Black | M - 3XL | 50% Cotton/50% Polyester

T. 2863011 | Leader Tee, Black | M - 2XL | 100% Cotton

U. 2863101 | Retro Signature Line Tee, Navy | M - 2XL | 100% Cotton

V. 2863102 | Retro Signature Line Tee, Red | M - 2XL | 100% Cotton

W. 2863103| Slide Tee, Black | M - 2XL | 100% Cotton



L. INDUSTRIAL WORKMAN POLO

MEN'S LAYERING MEN'S CASUALWEAR

WOMEN'S LAYERING

CAPS & BEANIES

YOUTH PGS. 32-33

COLLECTIBLES

SIZING CHARTS



### WOMEN'S LAYERING

STEP 1

BASE LAYER



Base layer needs to wick sweat away from your skin. Polyester is good, cotton is bad.

### INSULATING LAYER



Insulating layer must work with the base layer to transfer moisture. Polyester and fleece are best. Includes Mid layer and Mid-heavier layer.

#### STEP 3

### **OUTER LAYER**



Outer layer must block wind and allow moisture to escape. Add or remove layers as needed to stay warm and comfortable.





### A. WOMEN'S POLARIS® PERFORMANCE SHIRT

>> Jersey polyester, stretch material, brushed fleece interior.

2863029 | Quarter-Zip, Black | Women's S - 2XL

#### B. WOMEN'S POLARIS® FLEECE

MID INSULATING

» Polar Fleece.

2863027 | Black | Women's S - 3XL

2863028 | Quarter-Zip, Black | Women's S - 2XL

### C. WOMEN'S POLARIS® SOFTSHELL

MID-HEAVIER INSULATING

- >> 5,000mm/5,000g waterproof/breathable softshell, mesh interior.
- >> Underarm vents with waterproof zippers.
- >> Waterproof front zipper.

2863026 | Black | Women's S - 2XL

### D. POLARIS® WOMEN'S PIT SHIRT

2863105 | Retro, Light Blue | Women's S - 3XL | 65% Cotton/35% Polyester

### E. POLARIS® PERFORMANCE POLO

2862094 | Navy | Women's S - XL | 100% Polyester



XS = 01

S = 02



## WOMEN'S CASUALWEAR NEW



### **POLARIS® TEE SHIRTS**

F. 2863111| Script Loose-Fit Tee, White | Women's S - 2XL | 60% Cotton/40% Polyester

G. 2863018 | Vertical Loose-Fit Tee, Navy | Women's S - 2XL | 100% Cotton

H. 2863113 | Retro Signature Fitted Tee, Red | Women's S - 3XL | 100% Cotton

### POLARIS® LONG SLEEVED TEES

I. 2863110 | Retro Signature L/S Fitted Tee, Blue | Women's S - 3XL | Cotton/Spandex Blend

J. 2863109 | Courtney Script L/S Fitted Tee, Gray | Women's S - 2XL | 100% Cotton

K. 2863019 | Leader L/S Loose Fit Tee, Black | Women's S - 2XL | 100% Cotton



### **POLARIS® SWEATSHIRTS**

L. 2863107 | Thermal Hoodie, Ivory | Women's S - 3XL | 80% Cotton/20% Polyester

 $\textbf{M. 2863108} \; | \; \textit{Kickback Boatneck Sweatshirt, Pink} \; | \; \textit{Women's S-XL} \; | \; 60\% \; \textit{Cotton/40\% Polyester}$ 

N. 2863020 | Enthusiast Zip-Up Hoodie, Black | Women's S - 2XL | 50% Cotton/50% Polyester

### O. POLARIS® WOMEN'S SWEATER

- » Polyester fleece interior, polyester knit exterior.
- >> Two zippered front handwarmer pockets.
- >> Full-zip front with zipper garage by neck, dropped back.

**2863106** | Dark Gray | Women's S - 2XL



MEN'S UN-INSULATED PGS. 04-05

MEN'S INSULATED PGS. 06-11

**WOMEN'S INSULATED** PGS. 12-15

HELMETS PGS. 16-20

GOGGLES S Balaclavas

GLOVES & BOOTS PGS. 22-23

100.11.10

MEN'S LAYERING PG. 24

MEN'S CASUALWEAR PGS. 25-27

WOMEN'S LAYERING

NOMEN'S Casualwear

CAPS & BEANIES

YOUTH

PROTECTION &

COLLECTIBLES

SIZING CHARTS PG. 35



### CAPS ///



A. RIPSTOP Fitted

2863145 | Black/Gray | S/M

2863146 | Black/Gray | L/XL



B. PERFORMANCE Fitted (L/XL)
2863119 | Black | OSFM



C. RETRO PATCH Fitted (L/XL)
2863120 | Red/Black | OSFM



D. STREET FLATBILL Fitted (L/XL)
2863006 | Black/White | OSFM



E. GLARE Fitted (L/XL)

2863005 | Black/Silver | OSFM



F. COMBUSTION Velcro® Closure
2863004 | Black | OSFM



G. CAMO RACER MESH Velcro® Closure 2863003 | Camo | OSFM



H. LEADER Velcro® Closure



I. ORIGINAL Adjustable Closure

2863121 | Tan | OSFM



J. SLIDE Fitted (L/XL)

2863122 | Black/Orange | OSFM



K. PRO Adjustable Closure

2863124 | Gray | OSFM



L. INDY® Velcro® Closure

2863125 | Black | OSFM



M. LEATHER CAP Velcro® Closure
2862198 | Brown | OSFM



N. PURSUIT® CAMO MESH Velcro® Closure 2862329 | Brown | OSFM



2862070 | Navy | OSFM



P. WORKMAN'S Velcro® Closure
2861323 | Army Green | OSFM



Q. WORKMAN'S Velcro® Closure 2863128 | Navy | OSFM



R. WORKMAN'S Velcro® Closure

2863127 | Black | OSFM



S. WOMEN'S RACING Velcro® Closure 2862014 | Black/Pink | OSFM



T. WOMEN'S SCRIPT Velcro® Closure 2863126 | White | OSFM

# POISAPPARE

### **BEANIES**



U. BOMBER Nylon, Insulated

2863129 | Black | OSFM

V. VINTAGE POM STAR BEANIE 100% Acrylic

2863130 | Black | OSFM

W. PATCHWORK SUBLIMATED BEANIE Microfleece lined

2863133 | Black | OSFM

X. RETRO PLAID BEANIE 100% Acrylic

2863132 | Plaid | OSFM

Y. MEN'S KNIT BEANIE 100% Acrylic, Fleece lined

2863134 | Black | OSFM

Z. STRIPE BEANIE 100% Acrylic

2863136 | Gray/Blue | OSFM

AA. COLD STREAK BEANIE Cable knit fleece-lined

2863009 | Gray | OSFM

BB. ROLLOVER BEANIE 100% Acrylic

2862199 | Brown | OSFM

CC. EXPOSED STITCHING BEANIE 100% Acrylic

2863131 | Black | OSFM

DD. WORKMAN'S BEANIE 100% Acrylic

2863137 | Black | OSFM

EE. WOMEN'S KNIT BEANIE 100% Acrylic

2863135 | Gray | OSFM

MEN'S UN-INSULATED PGS. 04-05

MEN'S INSULATED PGS. 06-11

**WOMEN'S INSULATED** PGS. 12-15

HELMETS PGS. 16-20

GOGGLES & BALACLAVAS PG. 21

**GLOVES & BOOTS** PGS. 22-23

MEN'S LAYERING PG. 24

WOMEN'S LAYERING

WOMEN'S CASUALWEAR PG. 29

CAPS & BEANIES PGS. 30-31

PROTECTION & BAGS PG. 34

COLLECTIBLES PG. 35

SIZING CHARTS PG. 35

### YOUTH COLLECTION



REMOVABLE

HOOD



### A. YOUTH FXR® THROTTLE JACKETS

SHELL: Durable polyester/nylon shell.

**WATERPROOF:** Reissa® 2,000mm/2,000g/m² waterproof/ breathable laminate. Microfleece body, taffeta sleeve lining.

**INSULATION:** 225g fixed Thermal Flex™ insulation.

SAFETY: 360° 3M® reflective trim.

2863068 | Boys | Youth XS - XL 2863069 | Girls | Youth XS - XL





### **B. YOUTH FXR® BIB**

SHELL: Durable polyester/nylon shell.

WATERPROOF: Reissa® 2,000mm/2,000g/m² waterproof/ breathable laminate.

INSULATION: Fixed 200g Thermal Flex™ insulation and embossed nylon taffeta lining.

SAFETY: 3M® Reflective inserts on back legs.

2863070 | Black | Youth XS - XL









### C. YOUTH DIVA JACKET

SHELL: 420-denier Oxford nylon/300x600-denier black polyester oxford and white 300x600-denier polyester oxford.

WATERPROOF: 600mm polyurethane. **INSULATION:** 180g fixed insulation.

SAFETY: 3M® reflective ellipses patch on upper back.

2862036 | Magenta | Youth S - XL



### D. YOUTH RIPPER JACKET

SHELL: 420-denier Ripstop nylon/300x600 denier black polyester

oxford.

WATERPROOF: 600mm polyurethane. **INSULATION:** 180g fixed insulation.

SAFETY: 3M® reflective ellipses patch on upper back.

2862035 | Red | Youth S - XL



### E. YOUTH RIPPER BIB

SHELL: 300x600-denier black Polytex®.

WATERPROOF: 600mm polyurethane seam-sealed seat.

INSULATION: 180g fixed insulation.

SAFETY: 3M® reflective patches on back of leg.

2863168 | Black | Youth S - XL

MEN'S UN-INSULATED PGS. 04-05

MEN'S INSULATED PGS. 06-11

**WOMEN'S INSULATED** PGS. 12-15

**HELMETS** PGS. 16-20

GOGGLES & Balaclavas

GLOVES & BOOTS PGS. 22-23

MEN'S LAYERING PG. 24

MEN'S CASUALWEAR

WOMEN'S LAYERING

WOMEN'S Casualwear

CAPS & BEANIES PGS. 30-31

YOUTH PGS. 32-33

PROTECTION &

COLLECTIBLES

SIZING CHARTS PG. 35











### F. YOUTH FULL FACE HELMET

SHELL: Injection-molded thermoplastic ABS shell. **VENTS:** Chin, forehead and rear exhaust vents. INTERIOR: Removable, washable liner.

BREATH DEFLECTOR: Removable breath deflector.

**SAFETY:** DOT/ECE-approved.

2862059 | Red | Youth S-L 2862060 | Silver | Youth S - L

2861243 | Clear replacement shield

### **G. YOUTH TOASTER MITTEN & GLOVE**

SHELL: 330-denier Taslan®† nylon.

WATERPROOF BREATHABLE: Waterproof insert.

INSULATION: Thermolite, ®† 100g on back of hand, 100g on palm side.

ADDITIONAL FEATURES: Glove has pre-curved fingers, sure-grip palm, extra padding on outside of hand, sure-grip wrapped fingers.

**SAFETY:** Reflective piping.

2862068 | Black | Youth, Mitten, S - XL

2862069 | Black | Youth, Glove, S - XL



### H. YOUTH TEK VEST® NEW

SHELL: Strong, protective UHMW panels cover shoulders

FIT: Adjustable side straps and arm straps

**SAFETY:** Shoulder pads are included for upper arm protection

ADDITIONAL FEATURES: Large arm openings for unrestricted movement; can be used off-roading and snowmobiling

2862191 | Black | 70-100 lbs

### I. YOUTH RACE HOODIE 60% Cotton/40% Polyester Fleece

2863114 | Red | S-L

J. BOY'S SLIDE TEE 100% Cotton NEW

2863115 | Navy | S-L

K. GIRL'S HEART TEE 50% Cotton/50% Polyester

2863116 | Pink | S-L

L. BOY FUTURE RIDER ONESIE 100% Cotton NEW

286311703 | Light Blue | 12 mo.

286311706 | Light Blue | 18 mo.

M. GIRL FUTURE RIDER ONESIE 100% Cotton

286311803 | Light Pink | 12 mo.

**286311806** | Light Pink | 18 mo.

ADULT SIZE CODES FOR ORDERING See pg 35 for size & fit charts	XS = 01	M = 03	M - Tall = 05	L-Short = 07	XL = 09	XL Tall = 11	2XL Tall = 13	4XL=15
Don't forget to add the two-digit size code at the end of the part number!	S = 02	M - Short = 04	L=06	L - Tall = 08	XL Short = 10	2XL = 12	3XL = 14	5XL=16



### PROTECTION ///



### A. TEK VEST® FREESTYLE

SHELL: Strong, protective UHMW panels cover shoulders; front and rear mesh panels promote cooling airflow.

FIT: Adjustable strap system for perfect fit.

SAFETY: Optional quick-attach shoulder pads (2862192) available for upper arm coverage.

ADDITIONAL FEATURES: Large arm openings for unrestricted movement; can be used off-roading and snowmobiling.

2862189 | Black | S-XL

2862189 | Black | 2XL-3XL



### **B. TEK VEST® SUPER SPORT**

SHELL: Strong, protective UHMW panels cover shoulders. FIT: Adjustable belt across lower back ensures proper fit.

SAFETY: Optional quick-attach shoulder pads (2862192) available for upper arm coverage.

ADDITIONAL FEATURES: Zip-off fleece collar diffuses rising body heat to reduce fogging; large arm openings for unrestricted movement; drop-tail design for extended coverage; 2-stage pockets; can be used off-roading and snowmobiling.

2862190 | Black | S-XL

2862190 | Black | 2XL-3XL





### C. TEK VEST® SHOULDER PADS

MATERIAL: Strong and protective Ultra High Molecular Weight Polyethylene.

FIT: Adjustable bicep strap.

SAFETY: Extends coverage from shoulder to above elbow.

ADDITIONAL FEATURES: Quick-attach design for installation or removal in seconds.

2862192 | Black | S-3XL

### BAGS+ELECTRONICS///

#### D. OGIO® 9800 ROLLER BAG

- » Material: 600-denier PVC/420-denier Dobby Poly PVC.
- >> SLED (Structural Load Equalizing Deck) System for increased durability and handling.
- >> Heavy duty oversized wheels with extra clearance.
- >> Large main compartment with adjustable dividers and padded helmet chamber.
- » Dimensions: 16" x 17" x 36"
- » Capacity: 9,800 cu. in.

2862119 | 9800 Roller Bag | Black

### E. OGIO® UNIVERSAL BACKPACK

- » Laptop compartment fits most 17" laptops.
- » Large center storage area.
- >> Dimension: 19" x 12.5" x 10"

2860109 | Universal Backpack | Black

### F. OGIO® BIG DOME DUFFLE

- » Dimensions: 14" H.
- » Capacity: 3,400 cu. in.

2862110 | Big Dome Duffle | Black

### G. OGIO® PRIVATEER BACKPACK

- » Laptop compartment fits most 17" laptops.
- >> Dim: 17.5" x 11.5" x 10"
- Capacity: 2150 cu. in.

2862345 | Privateer Backpack | Pursuit® Camo

### H. OGIO® GEAR BAG

- >> Large main compartment, multi-use large end pockets.
- » Materials: 600-denier poly PVC.



### I. IPOD® CONTROLLER

Accessory iPod®† Controller fits Ripper and Diva Jackets and integrates into sleeve pad allowing you to operate your iPod®t remotely with gloves on. Fits iPods®† with docking connection.

2860139 | iPod®† Controller



# COLLECTIBLES ....

### NEW

### POLARIS® DROP SHIP COLLECTIBLES

J. 2862370 | 5"x7" Window Cling, Pursuit® Camo | 12 Per Pack

K. 2862373 | Can Coolie, Pursuit® Camo | 6 Per Pack

L. 2862374 | Drinkware, Pursuit® Camo | 6 Per Pack

M. 2862375 | Teddy Bear, Pursuit® Camo | 6 Per Pack

N. 2862251 | Polaris® Key Tag | 50 Per Pack


O. 2863170 | Polaris® Decal w/ Applicator | 36" Wide

P. 2862371 | 24"x36" Floor Mat, Pursuit® Camo

Q. 2863172 | Polaris® Pint Glass | 4 Glasses Per Set

R. 2863175 | Polaris® UV Activated Lanyard | 25 Per Pack

S. 2863176 | Polaris® 5.5"x7" Notebook/Pen Combo | 6 Per Pack



MEN'S UN-INSULATED PGS. 04-05

MEN'S INSULATED PGS. 06-11

WOMEN'S INSULATED PGS. 12-15

HELMETS PGS.16-20

GOGGLES & Balaclavas

GLOVES & BOOTS PGS. 22-23

1

MEN'S LAYERING PG. 24

MEN'S CASUALWEAR PGS. 25-27

WOMEN'S LAYERING PG. 28

WOMEN'S Casualwear

CAPS & BEANIES PGS. 30-31

100.0001

YOUTH PGS 32-33

PROTECTION & BAGS PG. 34

COLLECTIBLES

SIZING CHARTS PG. 35

SIZING //

MEN'S JACKET & BIB SIZ	ING `	1			
SIZE	CHEST CIRCUMFERENCE	WAIST CIRCUMFERENCE	HIP CIRCUMFERENCE	SLEEVE LENGTH From Center Back Neck	INSEAM
SMALL	35-38	31-33	35-37	33	32
MEDIUM	38-41	33-35	37-40	34	32%
LARGE	41-45	35-38	40-43	35	33
X-LARGE	45-48	38-42	43-47	36	33½
2X-LARGE	48-52	42-45	47-50	37	34
3X-LARGE	52-58	45-52	50-56	38	34
4X-LARGE	58-65	52-61	56-63	39	35
5X-LARGE	65-70	61-63	63-68	40	35
MEDIUM TALL	38-41	33-35	37-40	36	35½
LARGE TALL	41-45	35-38	40-43	37	36
X-LARGE TALL	45-48	38-42	43-47	38	36½
2X-LARGE TALL	48-52	42-45	47-50	39	37

### WOMEN'S JACKET & BIB SIZING

SIZE	CHEST CIRCUMFERENCE	WAIST CIRCUMFERENCE	HIP SLEEVE LENGTH Circumference from center back neck		INSEAM
SMALL	34-36	24-27	34-37	30	30%
MEDIUM	36-38	27-29	37-40	31	30%
LARGE	38-40	29-33	40-43	32	31
X-LARGE	40-42	33-36	43-46	32.5	31
2X-LARGE	42-44	36-40	46-49	33	31

### YOUTH JACKET & BIB SIZING

SIZ	SIZE HEIGHT CHEST CIRCUMFERENCE		WAIST HIP CIRCUMFERENCE CIRCUMFERENCE		SLEEVE LENGTH From Center Back Neck	INSEAM	
X-8	SMALL	41-46	22-24	19-21	23-26	22	21
SN	MALL	46-52	24-27	21-24	26-29	24	22%
ME	EDIUM	52-58	27-30	24-26	29-32	27	26%
LA	ARGE	58-64	30-33	26-28	32-35	30	29%
<b>\</b> x-ı	LARGE	64-67	33-36	28-30	35-37	33	32%

ADIIITU	ELMET SIZE	CONVEDET	NN TADIE
ADULI N	EFIME I SITE	COMACKST	UN IMBLE

AL	OLI HELMET ST	ZE CUNVERSIUN I	ABLE			YUUTH HELINET				
<b>/</b>	SIZE	HAT SIZE	INCHES	METRIC	SIZE CODE					\
	X-SMALL	6%	21¼	54	01					
	SMALL	6%-7	21%-22	55-56	02	SIZE	CIRCUMFERENCE	METRIC	SIZE CODE	
	MEDIUM	71/8-71/4	22%-22%	57-58	03	ADJUSTABLE	Fits S-L	51-54	00	
	LARGE	7³/s-7½	231/4-235/4	59-60	06	SMALL	20%	51	02	
	X-LARGE	75/8-73/4	24-24%	61-62	09	MEDIUM	20%	53	03	
	2X-LARGE	7%-8	24%-25%	63-64	12	LARGE	21%	55	06	
Ĺ	3X-LARGE	8	25-26	65	14					J



B. 2878155-133 | PRO-RIDE™ Skid Plates | White C. 2879092-133 | Burandt Signature Hood Wrap D. 2879098 | Burandt Signature Windshield E. 2879086 | Burandt Lock & Ride® Tunnel Bag F. 2879091 | Burandt's HD Powder Trac™ Boards G. 2858002-155 | Burandt Signature Tunnel Wrap

A. 2877679-570 | Gripper Ski | White

SLED PROTECTION

STYLE & BODY

SEATS PG 53

PERFORMANCE PGS, 54-55

SKIS & TRACTION

OTLS & LUBE PGS, 64-65

ALCOM TRAILERS

#### 800 PRO-RMK® 155 **BURANDT COLLECTION**

We teamed with backcountry freeride expert Chris Burandt to develop a special collection of accessories to enhance the ride for deep

the sled's function. The better the accessory, the better your ride, which is why we strive to produce accessories that suit real riders' needs and varied riding styles.

LOCK & RIDE® Many accessories install in 30 seconds or less - without tools - using Polaris exclusive Lock & Ride® Technology. Versatility, value and ease of installation - only from Pure Polaris.

800 SWITCHBACK® PRO-R I. 2878721 | Switchback® Aluminum Cargo Rack H. 2878720 | Switchback® Cargo Rack Saddlebags PG. 42 J. 2879155 | Handlebar Gauntlets K. 2878512 | Wide Windshield PG. 56 L. 2877803 | Hood Mount Mirrors M. 2878688 | PRO-RIDE™ Extreme Front Bumper

NEW

PURE POLARIS® ACCESSORIES

Every Pure Polaris® accessory was developed and built to install easily, fit right and enhance

>> PURE POLARIS® ACCESSORIES

FOR EVERY RIDER & EVERY SLED

**BUILD YOUR OWN AT** //www.buildmysled.com//

STORAGE Keep gloves and goggles ready to wear with the new engine heated Pro-Ride™ Defrost Bag. Add additional cargo to the legendary INDY® with the INDY® Aluminum Cargo Rack.



800 RUSH® PRO-R

N. 2877800	RUSH® Saddle & Trunk Bag	PG. 43
0. 2879193	Lock & Ride® Handguards   Red	PG. 52
P. 2879099	Low Windshield   Red	PG. 47
Q. 2877793-293	PRO-RIDE™ Skid Plates   Red	PG. 48
R. 2879152-293	l Pro-Steer Ski	PG. 58

SLED PROTECTION With greater comfort & protection,

you ride longer, harder & have more fun. Add a windshield, hand

guards, bumpers and sled wraps to make every ride the best ride.



### **CANVAS COVERS**

These durable Canvas Covers provide outstanding protection for your favorite sled when it's being towed, parked overnight or stored in the off-season.

FITMENT: Custom fit for Polaris® snowmobiles, excellent coverage of spindles and a-arms, adjustable strap to accomodate windshield heights.

MATERIAL: Rugged, durable 10 oz. canvas, treated to repel water and UV degradation.

ADDITIONAL FEATURES: Elastic at bottom holds cover on sled.

PART NO.:	FITMENT:	FITMENT NOTES:
A. 2878724	PRO-RIDE™ RMK® Cover	Also Switchback® Assault®
B. 2878725	i   PRO-RIDE™ Switchback® Cover / INDY	<sup>®</sup> 600 <sup>®</sup>
C. 2878726	i   PRO-RIDE™ Switchback® Adventure™	
D. 2878728	PRO-RIDE™ RUSH®Cover	
E. 2878727	I IN® Touring I VT	
F. 2877188	Widetrack / Utility	
G. 2876003	B   '05-11 IQ® RMK®	144" - 166"
H. 2875865	i   '07-13 IQ® 121"	121" & 128"
I. 2875488	'05-11 IQ® Switchback®,'11 IQ® LX	
J. 2876633	'08 600RR, '05-11 IQR	Polaris® Racing Graphic
K. 2871913	4 straps & buckles	
L. 2871914	l 2 side release buckles	

### **CANVAS COVER FIT CHART**

### » PROTECT YOUR INVESTMENT.

Whether you trailer 'em or keep 'em in the garage, any Polaris sled benefits from a genuine Pure Polaris® cover. These covers are built to fit and flexible enough to accommodate multiple windshield heights. Use the handy chart below to help choose the right cover for your sled.

Model Year	PRO-RIDE™ RMK®	IQ® RMK®	RUSH®	IQ® Performance 121 - 128"	Switchback® Assault® 144"	PRO-RIDE™ Switchback® 136"/Indy®	IQ® Switchback® 136-144"	Switchback® Adventure™	IQ® Trail Luxury / Touring	Widetrack / Utility
2013	2878724	N/A	2878728	2875865	2878724	2878725	N/A	2878726	2878727	2877188
2012	2878724	N/A	2878728	2875865	2878724	2878725	N/A	2878726	2878727	2877188
2011	2878724	2876003	2878728	2875865	2878724	N/A	2875488	N/A	2878727	2877188
2010	N/A	2876003	2878728	2875865	N/A	N/A	2875488	N/A	2878727	2877188
2009	N/A	2876003	N/A	2875865	N/A	N/A	2875488	N/A	2878727	2877188
2008	N/A	2876003	N/A	2875865	N/A	N/A	2875488	N/A	2878727	2877188

### **DUST COVERS**

These dependable nylon Dust Covers are ideal for protecting sleds while they are in an enclosed trailer, being stored indoors during the off-season, and also while parked overnight. Take a cover along during a multi-day riding trip and just fold it and store it in a bag while riding.

FITMENT: Custom fit for Polaris® snowmobiles, adjustable strap to accomodate windshield heights.

MATERIAL: Durable nylon.

ADDITIONAL FEATURES: Elastic at bottom holds cover on sled, not constructed for use on sled being transported on an open trailer.

L. 2878729 | PRO-RIDE™ RUSH® / Switchback®/INDY® Dust Cover

M. 2878730 | PRO-RIDE™ RMK® / Touring Dust Cover



COVERS PGS 38-3

WIND PROTECTION PGS. 46-47

SLED PROTECTION

MOUNTAIN

STYLE & BODY PGS. 50-53

PERFORMANCE PGS. 54-55

SEATS PG. 53

UTILITY

SKIS & TRACTION

ALCOM TRAILERS

### RMK® STORAGE



### A. BURANDT LOCK & RIDE® TUNNEL BAG

Developed in conjunction with leading back country rider Chris Burandt and storage expert OGIO®, this Tunnel Bag provides riders with exactly the cargo space needed, and it is Lock & Ride®. This bag has space for survival gear as well as a protective, padded space where food can be stored, and a waterproof section for items such as electronics.

MATERIAL: Ballistic Nylon and Truck Tarpaulin.

ATTACHMENT: Bag's Lock & Ride® quarter-turn fittings install in T slots in tunnel.

CAPACITY: 2500 cu. in.

ADDITIONAL FEATURES: Bag has integrated backpack straps for easy transport when it's off the sled. Lock & Ride® technology: Install or remove the bag in seconds without tools.

2879086 | '07-11 IQ" RMK", '11-13 PRO-RIDE" RMK", '11-13 Switchback" Assault"



### B. PRO-RIDE™ UNDERSEAT BAG

This Underseat Bag is designed specifically to fit under the seat of MY13 RMK® models.
Bag can be left attached to the sled for extended periods and cargo can be transported to
and from the sled in a removable water-resistant liner.

MATERIAL: Durable 1000D Nylon with water resistant coating.

ATTACHMENT: Specifically designed to fit under seat of MY13 RMK® (except RMK® 600

144"). Bag attaches with Velcro® to seat support.

CAPACITY: 364 cu. in. with a 216 cu. in. expandable section.

ADDITIONAL FEATURES: Bag is elevated off the tunnel for improved water resistance.

2879087 | '13 PRO-RIDE" RMK\*

\* Excludes '13 144" RMK®



### C. WATER-RESISTANT TUNNEL BAG

MATERIAL: Heavy-duty nylon.

**ATTACHMENT:** Mounts quickly & easily on the sled's tunnel.

**CAPACITY:** Bag dimensions are  $24" \times 14" \times 8"$ , approximately 1.5 cu. ft. **ADDITIONAL FEATURES:** Water-resistant construction to protect contents.

2878732 | '07-11 IQ" RMK", '11-12 PRO-RIDE" RMK", '13 144" RMK", '11-13 Switchback" Assault"

### D. RMK® UNDERSEAT BAG

MATERIAL: 1000-denier black nylon.
ATTACHMENT: Self-adhesive Velcro.
CAPACITY: 500 cu. in. volume.

ADDITIONAL FEATURES: Water-resistant construction to protect contents, includes zippered Insert Bag that holds cargo inside Underseat Bag for additional protection.

**2876427** | '11-12 PRO-RIDE" RMK°', '13 144" RMK°, '11-13 Switchback" Assault°, '07-11 IQ" RMK°

2878733 | Water-resistant Underseat Bag Liner

### E. FUEL CAN RACK

MATERIAL: Lightweight aluminum construction.
ATTACHMENT: Fastens to integrated T-slots.
CAPACITY: Fits up to 8.5" x 12" fuel can.

ADDITIONAL FEATURES: Fuel can sold separately, not offered through Polaris.®

2876765 | '11-13 PRO-RIDE" RMK" Rack, '11-13 Switchback Assault, '07-11 IQ RMK'

7081248 | Straps







### F. PRO-RIDE™ DEFROST BAG

POLARIS INNOVATION

With this PRO-RIDE™ Defrost Bag installed, the instrumentation is repositioned for easier visibility when the rider is standing, and the heated bag is an ideal place to store items such as goggles and gloves.

MATERIAL: Durable 1680-denier black ballistic nylon with a water resistant coating.


ATTACHMENT: Aluminum external bracket support.

CAPACITY: 464 cu. in.

ADDITIONAL FEATURES: Zippered compartment and side mesh venting.

### **2879090** | '10-13 PRO-RIDE™\*

\* Excludes Indy®



COVERS PGS, 38-39

### STORAGE PGS 40-45

WIND PROTECTION PGS. 46-47

SLED PROTECTION

MOUNTAIN

STYLE & BODY PGS. 50-53

SEATS PG. 53

PERFORMANCE PGS. 54-55

CUMEUDI

UTILITY PG. 57

SKIS & TRACTION

OILS & LUBE PGS. 64-65

BELT

ALCOM TRAILERS PG. 67

### G. UNDERHOOD BAG

MATERIAL: Heavy-duty nylon.

 $\textbf{ATTACHMENT:} \ \ \textbf{Multiple straps mount the bag under the hood above the exhaust.}$ 

 $\textbf{CAPACITY:} \ \ \textbf{Bag dimensions are 7"} \ \textbf{x} \ \textbf{10"} \ \textbf{x} \ \textbf{3"}, \ \textbf{approximately 210 cu. in}.$ 

ADDITIONAL FEATURES: Holds a pair of gloves, goggles, etc., so they can be warmed and

dried by engine heat.

2878735 | All PRO-RIDE"

### H. RMK® RISER BAG

MATERIAL: 1680-denier Polyester/600-denier Polyester.

 $\textbf{ATTACHMENT:} \ Straps \ on \ in seconds, \ no \ drilling; \ fits \ both \ post \ and \ ProTaper^{@t} \ bars, \ fits$ 

125mm and 5.25" risers. **CAPACITY**: 285 cu. in. volume.

 $\textbf{ADDITIONAL FEATURES:} \ \textbf{Zippered pockets}.$ 

2878187 | '11-13 PRO-RIDE" RMK", '11-13 Switchback" Assault", '07-11 IQ" RMK"

### I. RMK® SHOVEL BAG

MATERIAL: 1680-denier black/gray ballistic nylon.

ATTACHMENT: Easy bolt-on installation.

CAPACITY: 600 cu. in. volume.

ADDITIONAL FEATURES: Holds shovel head, handle, gear.

 $\textbf{2876015} \hspace{0.1cm} |\hspace{0.08cm} \text{`07-11 IQ$^{\circ}$ RMK$^{\circ}$, '11-13 PRO-RIDE$^{\sim}$ RMK$^{\circ}$, '11-13 Switchback$^{\circ}$ Assault$^{\circ}$}$ 





# SWITCHBACK® STORAGE



### A. SWITCHBACK® ALUMINUM CARGO RACK

Enhance the cargo capacity of a PRO-RIDE™ Switchback® model with this Cargo Rack that provides the foundation for the Adventure Cargo System™.

 $\begin{tabular}{ll} \textbf{MATERIAL:} & Aluminum. \end{tabular}$ 

ATTACHMENT: All mounting hardware is included.

CAPACITY: Up to 45 lbs.

2878721 | '12 - '13 PRO-RIDE" 136" Switchback®

### B. SWITCHBACK® WATER-RESISTANT REAR RACK BAG

MATERIAL: Compression-molded plastic.

ATTACHMENT: Mounts using Lock & Ride® technology into Aluminum Cargo Rack (required and sold separately, PN 2878721).

CAPACITY: Bag measures 10" x 11" x 8," approximately 880 cu. in.

**ADDITIONAL FEATURES**: Zippered closure, zippered expansion panel for increased cargo capacity, grab handle on top for easy carrying to and from sled.

2878731 | '12-'13 Switchback', Water-resistant Rear Rack Bag

### C. SWITCHBACK® CARGO RACK SADDLEBAGS

 $\textbf{MATERIAL:} \ Injection\text{-molded polyester}.$ 

**ATTACHMENT:** Uses Lock & Ride® technology to install on the sides of the Aluminum Cargo Rack (required and sold separately, PN 2878721).

 $\textbf{CAPACITY: } 966 \ cu. \ in. \ per \ bag; 1,932 \ cu. \ in. \ total \ (1.1 \ cu. \ ft.).$ 

**ADDITIONAL FEATURES:** Each bag has a water-resistant removable liner that holds cargo, lids latch securely and open to provide full access to the entire saddle bag.

2878720 | '12-'13 Switchback', Saddlebags & Liners





# RUSH STORAGE



### D. PRO-RIDE™ WINDSHIELD BAG

Keep compact items in view and close at hand with this Polaris®-branded bag that mounts inside the base of the windshield.

MATERIAL: Rugged, durable 1680-denier black polyester. **ATTACHMENT:** Installs in seconds using friction fit and Velcro®.

CAPACITY: 270 cu. in. / 4.4 liters volume.

### 2879166 | PRO-RIDE" \*Includes INDY®

\* Models with Mid, Chrome RMK®, Tall or Extra tall windshields



### E. PRO-RIDE™ RUSH® RISER BAG

MATERIAL: 1000-denier black nylon base, Ripstop accents.

ATTACHMENT: Straps on in seconds, no drilling.

CAPACITY: 180 cu. in. volume.

LUGGAGE RACK

a

ADDITIONAL 6" PLATFORM

ADDITIONAL FEATURES: Clear vinyl map pocket; Hole for iPod®†/MP3 headphone cord.

2877795 | '10-13 RUSH", '12-13 Switchback", '11-13 Switchback" Assault", 13' INDY

COVERS PGS, 38-39

WIND PROTECTION PGS. 46-47

SLED PROTECTION

MOUNTAIN

RACK BAG

SEATS PG 53

PERFORMANCE PGS. 54-55

UTILITY

STYLE & BODY

SKIS & TRACTION

OILS & LUBE PGS. 64-65

ALCOM TRAILERS

## F. RUSH® LUGGAGE RACK & RACK BAG

MATERIAL: Bag features semi-rigid construction for durability and durable steel rack construction.

ATTACHMENT: Bag straps on in seconds, no drilling; two large buckles make it easy to secure the bag in place.

CAPACITY: 1450 cu. in. volume in one main compartment.

ADDITIONAL FEATURES: Dual carrying handles for easy carrying to and from the sled, buckles are large enough to be opened and closed easily with gloves on, luggage rack (sold separatley, 2878795-458) is required to use luggage rack bag.

2878795-458 | '12-13 RUSH®, Luggage Rack

2877798 | Luggage Rack Bag

### G. RUSH® SADDLE & TRUNK BAG

MATERIAL: 1000-denier black nylon base, Ripstop accents.

ATTACHMENT: Straps on in seconds, no drilling.

CAPACITY: 920 cu. in. volume, trunk features multiple compartments.

ADDITIONAL FEATURES: Side pockets on trunk bag.

2877800 | '10-13 RUSH', '12-13 Switchback'



### H. PRO-RIDE™ TANK BAG

MATERIAL: Strong, durable 1680-denier black ballistic nylon.

ATTACHMENT: Bag fits over fuel fill neck and attaches via straps to sled's frame.

CAPACITY: Bag dimensions are 6" x 6" x 9", approximately 324 cu. in.

ADDITIONAL FEATURES: Zippered compartment and side mesh pockets.

2878734 | '10-13 RUSH". '12-13 Switchback". '13 INDY"



# STORAGE \*\*\*



### A. INDY® ALUMINUM CARGO RACK

MATERIAL: Sturdy, durable brushed aluminum. ATTACHMENT: All mounting hardware is included.

CAPACITY: Up to 15 lbs.

ADDITIONAL FEATURES: Provides a convenient cargo solution for an Indy® rider, and it's designed to accept the Lock & Ride® Switchback® Adventure® Rear Rack Bag (2878731, sold separately).

2879164 | '13 INDY'



### **B. SEMI-RIGID TUNNEL BAGS**

MATERIAL: 1000-denier black/grey nylon, semi-rigid construction. ATTACHMENT: Velcro, \*\* side-release buckle, no drilling needed. CAPACITY: 121" version: 1800 cu. in., 136" version: 2160 cu. in. volume.

2878736 | 121"Tunnel Bag '09-13 (Non-Turbo) / IQ°, 121", '13 INDY°

2878737 | 136" Tunnel Bag '09-13 (Non-Turbo) / IQ\*, 136"



### C. DELUXE TANK MAP BAG

ATTACHMENT: Snaps to side of tunnel. ADDITIONAL FEATURES: See through map display.

2875073 | '05-13 IQ" / Fusion" / RMK"



### D. UNIVERSAL TANK BAG

MATERIAL: 1680-denier black ballistic nylon, carbon fiber vinyl. ATTACHMENT: Quick connect/disconnect, easy install.

CAPACITY: 594 cu. in. volume.


2876031 | Universal IQ® Fitment



### E. TOURING 2-UP BAG

MATERIAL: 600-denier black polyester, highly UV stable. ATTACHMENT: Webbing and J-channel with carrying handle. CAPACITY: 1099 cu. in. volume.

2875964 | Rear Touring Bag, EDGE® & IQ® Touring



### F. SEMI-RIGID SADDLE BAGS

MATERIAL: 1000-denier black material, semi-rigid, highly structured.

ATTACHMENT: Cam and side-release buckle.

CAPACITY: 2052 cu. in. volume.

2877482 | '08-13 IQ" 121" & IQ" Switchback"




### G. IQ® SADDLE & TRUNK BAGS

MATERIAL: 1000-denier nylon. ATTACHMENT: Cam buckle. CAPACITY: 2202 cu. in. volume.

2877676 | '08-13 IQ" 121" & IQ" Switchback" 136"

2872261 | Repl. Buckles w/rivets for 1.5" strap

2871916 | Repl. Buckles w/rivets for 1" strap



### H. WINDSHIELD BAG

MATERIAL: 1680-denier black ballistic nylon.

ATTACHMENT: Quick installation.


CAPACITY: 490 cu. in. volume.

2876032 | All IO\*

2875044 | All EDGE®







### IQ8 136 CARGO: VERSATILE AND CONVENIENT



### ADD CARGO OR ADD A PASSENGER.

Build it up as needed. Choose from:

- · Cargo rack
- · Rack and bag
- · Rack, bag and 2-up seat and backrest.

### I. IQ® 136 CARGO RACK

Enhance the cargo capacity of an IQ® 136 model with this Cargo Rack that provides a secure place to insert and strap down a cargo bag (sold separately).

MATERIAL: 1000-denier black/grey nylon, semi-rigid construction.

**ATTACHMENT:** T-slots in tunnel and carriage bolts ensure secure installation, all mounting hardware is included.

2878156 | '08-13 IO\* 136"\*

\* EXCLUDES FS and FST

### J. IQ<sup>®</sup> 136 CARGO RACK BAG

MATERIAL: Semi-Rigid foam construction.

ATTACHMENT: Straps.

CAPACITY: 2500 cu. in. volume.

ADDITIONAL FEATURES: Full-length zipper accommodates transporting of a large bucket for ice fishing supplies. Requires IQ® 136 Cargo Rack, sold separatley PN 2878156.

2878158 | IQ\* | Touring Cargo Rack Bag

### K. IQ® 136 2-UP TOURING KIT

Enhance a passenger's comfort on an IQ® 136 model with this 2-Up Touring Kit.

ATTACHMENT: Requires 136 IQ® Cargo Rack sold separately PN 2878156.

**ADDITIONAL FEATURES:** Includes long 2-up seat with grab handles and passenger backrest. 2-up kit is limited for casual riding with a youth passenger. Heavier torsion springs are available for ride tuning with adult passenger.\*

2878157 | '08-13 IQ", Shift", Switchback" 136"\*

2878201 | IQ° | Passenger Handwarmer Kit

 $^{\star}\, \rm EXCLUDES\,FS$  and FST

### L. SOLO TOURING TRUNK COVER

MATERIAL: Hard-sided trunk storage in durable plastic.
ATTACHMENT: All require Touring Trunk Base Kit PN# 2874556.

CAPACITY: 2500 cu. in. volume.

ADDITIONAL FEATURES: Locks shut and offers outstanding protection.

2875540 | IQ\* | Graphite Metallic

2875983 | IQ\* | Black Metallic

2874552 | EDGE\* | Black

2874556 | Touring Trunk cover base kit (Water tight storage container)

**SOLO TOURING TRUNK CONVERSION** Easily add lockable, sealed storage to your IQ® or Edge® Touring Sled. Remove the storage bag, move the backrest forward, remove passenger handgrips and install the Touring Trunk Base & Cover.


### M. WIDETRAK® IQ® RACK BAG

MATERIAL: 1680-denier black/gray ballistic nylon.
ATTACHMENT: Webbing/Velcro attachment.

CAPACITY: 7360 cu. in. volume.

ADDITIONAL FEATURES: Top storage compartment holds ice fishing bucket.

2877249 | '09-13 WideTrak IQ"





COVERS PGS, 38-39

> **TORAGE** 6s. 40-45

WIND PROTECTION PGS. 46-47

SLED PROTECTION PG 48

MOUNTAIN DG //9

STYLE & BODY

SEATS PG 53

PERFORMANCE PGS. 54-55

COMFORT

UTILITY

SKIS & TRACTION

OTLS & LUBE PGS. 64-65

BELTS

ALCOM TRAILERS

# WIND PROTECTION ....



### A. EXTRA WIDE TALL WINDSHIELD

This Extra Wide Tall Windshield provides the broadest protection so wind, snow and ice are directed well wide of, or over the rider. Integrated vents reduce buffering.

HEIGHT: 24" tall for ultimate wind protection.
MATERIAL: 20% thicker than stock windshield.
INSTALLATION: Installs with 6 fasteners.

 $\textbf{2879156} \hspace{0.1cm} \mid \hspace{0.1cm} \textbf{All PRO-RIDE} \texttt{``Includes'} \textbf{13 INDY''}$ 



### **B. BURANDT SIGNATURE WINDSHIELD**

This Burandt-inspired Windshield features styling by back country riding expert Chris Burandt with custom Chris Burandt graphics.

**HEIGHT:** 12" tall for a stylish look. **MATERIAL:** Screen printed polycarbonate.

INSTALLATION: Installs with six fasteners.

**ADDITIONAL FEATURES:** Low-Mid height windshield provides protection against wind, snow and brush. Graphics include Chris Burandt's signature and back country logo.

2879098 | All PRO-RIDE" Includes '13 INDY'



### C. WIDE WINDSHIELD

HEIGHT: 20" tall for excellent wind protection.

MATERIAL: 20% thicker than stock windshield.

INSTALLATION: Installs with six fasteners.

ADDITIONAL FEATURES: Smoke finish w/silkscreen,

**ADDITIONAL FEATURES:** Smoke finish w/silkscreen, hand flares and side deflectors.

2878512 | All PRO-RIDE™ Includes '13 INDY®



### D. MID WINDSHIELD

HEIGHT: 18.5" tall with top lip for added wind protection.
MATERIAL: 20% thicker than stock windshield.
INSTALLATION: Installs with eight fasteners (included).

ADDITIONAL FEATURES: Smoke finish w/silkscreen.

2877841 | All PRO-RIDE" Includes '13 INDY®



### E. CHROME RMK® WINDSHIELD

**HEIGHT:** 14" tall without top lip to avoid snow being directed in the rider's face.

MATERIAL: 20% thicker than stock windshield.
INSTALLATION: Installs with six fasteners.
ADDITIONAL FEATURES: Chrome finish.

2877840 | All PRO-RIDE" Includes '13 INDY'

### F. LOW WINDSHIELD

HEIGHT: 7" tall, creates a lower profile. MATERIAL: 20% thicker than stock windshield. INSTALLATION: Installs with six fasteners.

ADDITIONAL FEATURES: Gives your sled a custom look.

2877804 | All PRO-RIDE" Includes '13 INDY" | Low Chrome 2878779 | All PRO-RIDE™ Includes '13 INDY® | Low Black

2879097 | All PRO-RIDE™ Includes '13 INDY® | Low White

2879099 | All PRO-RIDE™ Includes '13 INDY® | Low Red

2879100 | All PRO-RIDE" Includes '13 INDY" | Low White/Retro

2879101 | All PRO-RIDE" Includes '13 INDY" | Low Orange

WHITE/RETRO















COVERS PGS. 38-39

### WIND PROTECTION PGS 46-47

SLED PROTECTION

MOUNTAIN

STYLE & BODY PGS. 50-53

SEATS PG. 53

PERFORMANCE PGS. 54-55

UTILITY PG. 57

SKIS & TRACTION

OILS & LUBE PGS. 64-65

BELTS

ALCOM TRAILERS



### G. PRO-RIDE™ WIND DEFLECTORS

MATERIAL: Rubber.

INSTALLATION: Adhesive backing for easy install. **ADDITIONAL FEATURES:** Flared edge is extremely effective at deflecting wind, snow and ice away from the rider so the rider remains warmer and more comfortable.

2878723 | All PRO-RIDE" Includes '13 INDY°



### IO® WINDSHIELDS

Add some style, add some warmth, you choose. Polaris® windshields allow you to make it yours. Keep a few in the garage – easy installation allows you to change out as weather conditions dictate. Fits all IQ® models.

**HEIGHT:** Choose from heights from 16.5" to 20."

MATERIAL: Polycarbonate, 20% thicker than stock windshields, extremely durable screened graphics.

INSTALLATION: Installs with five fasteners, designed for easy on/easy off.

H. 2876737 | IQ° Tall 20" | Tint / Black Fade

I. 2875965 | IQ\* Tall 16.5" | Tint / Black Fade

# SLED PROTECTION W







### A. PRO-RIDE™ EXTREME ALUMINUM FRONT BUMPER

- » More stout than the stock bumper, provides additional protection.
- » Strong, lightweight aluminum.
- » Brushed aluminum.
- » All mounting hardware included.

2878688 | All PRO-RIDE" includes '13 INDY" | Aluminum 2878688-458 | All PRO-RIDE" includes '13 INDY" | Black

2878688-133 | All PRO-RIDE" includes '13 INDY" | White



### B. BURANDT'S HD POWDER TRAC™ BOARDS

Strong, durable Burandt's HD Powder Trac™ Boards let extreme riders take their riding to the next level. These beefy extruded aluminum running boards provide the greatest strength made of 6061-T6. They provide a rider with secure footing the full length of the boards during extreme riding.

- >> Extruded aluminum design with a machined profile.
- >> Secure front and rear attachment with castings that are adhesive bonded.
- » Designed for quick snow evacuation and to prevent ice build-up.
- » Removable and serviceable running board assembly.

**2879091** | '11-13 PRO RMK' 155-163" | Sold as Pair



### C. PRO-RIDE™ HEAT EXCHANGER GUARD

- » Protects the front heat exchanger.
- » Strong, lightweight aluminum.
- >> Powder-coated black wrinkle finish.
- » All mounting hardware included.

### 2878119 | '10-13 RUSH®,'12-13 Switchback®\*

\* Will not fit with PRO-RIDE™ skid plates

### D. PRO-RIDE™ RMK® TUNNEL REINFORCEMENTS

- >> Strong, durable, lightweight 0.1" thick aluminum.
- » Powder-coated black wrinkle finish.
- » Maintains running board angle during rough riding.
- » All mounting hardware included.

**2878178** | '11-12 PRO-RIDE" RMK<sup>®</sup>, '13 600 RMK<sup>®</sup> 144"\*

### E. PRO-RIDE™ SKID PLATES

- » Protects suspension, bulkhead from impact.
- » Made of strong ¼" UHMW plastic.
- » Adds color and a customized look.
- >> RMK®-style fits RMK® and Switchback® Assault® models without front heat exchanger.
- » Includes all necessary mounting hardware.

2877793-293 | '10-13 RUSH® '12-13 Switchback®, '11-13 Switchback® Assault® | Red

2877793-070 | '10-13 RUSH®, '12-13 Switchback®, '11-13 Switchback® Assault® | Black

2877793-133 | '10-13 RUSH', '12-13 Switchback', '11-13 Switchback' Assault' | White

2878155-293 | '11-13 PRO-RIDE" RMK\*\* / '13 Indy\* | Red

2878155-070 | '11-13 PRO-RIDE" RMK" / '13 Indy" | Black

2878155-133 | '11-13 PRO-RIDE" RMK" / '13 Indy" | White

### F. 09-12 IQ® SKID PLATES

FITMENT: All '09-13 IQ® with aluminum front bumper.

MATERIAL: 1/4" UHMW plastic protects suspension bulkhead from impact.

**INSTALLATION:** Includes all necessary mounting hardware.

2876985-293 | '09-13 IQ" Skid Plate | Red

2876985-070 | '09-13 IQ" Skid Plate | Black

2876985-570 | '09-13 IQ" Skid Plate | Matte White

4RS

# MOUNTAIN ///

### G. ABS POLARIS® AVALANCHE PACK

This ABS Polaris® Avalanche Pack is a backpack that doubles as avalanche survival gear with its self-contained, instantly inflatable airbag. A rider who encounters avalanche conditions can activate inflation of the large airbag atop the pack, which helps prevent burial or minimize burial depth. ABS is a leader in avalanche safety equipment for all types of winter outdoor enthusiasts.

- » Avalanche airbag is designed to minimize excavation time by preventing burial or minimizing burial depth.
- » A compact compressed-air cylinder stored inside the pack provides fast, reliable airbag inflation.
- » Reusable for multiple inflations; compressed-air cylinder can be refilled or exchanged.
- » Pack provides generous storage space for essentials such as survival gear, food, tools, water bottles, etc.
- » Comfortable, secure shoulder and torso straps.
- » Canisters and handles are sold and distributed by ABS.

2879088 | ABS Polaris® Avalanche Pack









» Compact and easy to use.

NEW

» Lightweight, strong and reliable.

» Smart emergency gear for all riders.

2879102 | Burandt Hand Saw





### I. POLARIS® / OGIO® MOUNTAIN BACKPACK

MATERIAL: Durable nylon.

ATTACHMENT: Adjustable padded shoulder straps and a sternum strap.

CAPACITY: 2075 cu. in. volume.

**ADDITIONAL FEATURES:** Padded, adjustable shoulder straps and sternum strap; ergonomical design for most comfortable fit; waterproof zippers.

2878744 | Mountain Backpack

### J. 240 CM AVALANCHE PROBE

- » Sturdy, lightweight aluminum.
- >> 40 cm. long folded.

2874916 | Avalanche Probe

### L. SNOW SHOVELS

2874915 | 3'Expandable Shovel, Black

2875094 | Shovel with Saw, Red



- » Stretch cord bundled in a corrugated vinyl tube.
- » Hook attaches to ski, use handle to pull.

2874420 | Deep snow extrusion device

### N. ICE SCRATCHERS

- » Fastens to rails to throw ice chips into suspension.
- » Drag in snow, lubricating hi-fax.
- » Allows removal of wheels equivalent to 4 lbs.

2876256 | '11-13 PRO-RIDE" RMK, '07-11 IQ RMK







COVERS PGS. 38-39

STORAGE PRS 40-45

WIND PROTECTION PGS, 46-47

SLED PROTECTION PG. 48

MOUNTAIN PG 49

STYLE & BODY PGS 50-53

SEATS PG 53

PERFORMANCE PGS. 54-55

COMFORT

UTILITY


SKIS & TRACTION

OILS & LUBE PGS. 64-65

PG. 66

ALCOM TRAILERS

# STYLE & BODY



COVERS PGS. 38-39

STORAGE

WIND PROTECTION PGS. 46-47

SLED PROTECTION

MOUNTAIN

STYLE & BODY

SEATS

### A. & B. BURANDT WRAPS

Infuse your sled with a dose of the style Chris Burandt brings deep into the backcountry. This Burandt Khaos Wrap kit features exciting graphics that Chris helped design. These top-quality graphic wraps are produced by ArcticFX graphics, the motorsports industry leader in premium graphics wraps.

- » Kit includes durable, adhesive-backed wrap pieces for the hood, side panels, sides of the tunnel and seat mounting block.
- » Wrap kits fit all PRO-RIDE™ sleds.

### C. RETROBUTION WRAP

It's easy to give your sled a custom look by adding this graphic wrap kit. These Polaris® retro graphics can be applied easily to bodywork to give a sled a completely new look. These premium graphic wraps are produced by ArcticFX graphics, the leader in motorsports graphics wraps.

- » Kit includes durable, adhesive-backed wrap pieces for the hood, side panels, sides of the tunnel and seat mounting block.
- >> Wrap kits fit all PRO-RIDE™ sleds.

### A. BURANDT SIGNATURE WRAP



I	1

GE / BLACK				
101/	CI/			

UKANGE / BLACK			
RED / BLACK			

RED / BLAC	<b>M</b>
RED / BLAC	CK





RED /SILVER / BLACK



BLUE / YELLOW/ BLACK

C. RETROBUTION WRAP

RED/WHITE/BLUE

RI **B. BURANDT KHAOS WRAP** HOOD & SIDE PANEL

RED / YELLOW / BLACK

BLUE / YELLOW / BLACK

RED / SILVER / BLACK

ORANGE / BLACK

SOLUR	HOOD & SIDE PANEL	TANK & TONNEL
BLACK/WHITE/SILVER	2879092-133	2858002-XXX
DRANGE / BLACK	2879092-446	2858003-XXX
BLUE / BLACK	2879092-341	2858004-XXX
RED / BLACK	2879092-293	2858005-XXX
	* Includes INDY®	* Excludes INDY®

TANK & TUNNEL\*

2858006-XXX |

2858007-XXX I

2858008-XXX |

2858009-XXX |

XXX represents track length. Add your track length to the end to complete the ordering part number.

**HOW TO ORDER** 1. Choose your wrap 2. Choose graphics color 3. Choose placement

Example: Track length = 136: For Burandt Signature wrap, color Orange-Black, your tank and tunnel part number would be 2858003-136

**AVAILABLE TRACK LENGTHS** 121", 136", 144", 155", 163"

COLOR	HOOD & SIDE PANEL	TANK & TUNNEL*
RED / WHITE / BLUE	2879096	2859099-XXX

2879095-293 |

2879095-341 I

2879095-070 |

2879095-446 I

\* Includes INDY®

\* Includes INDY®

\* Excludes INDY®

\* Excludes INDY®

# PERFORMANCE PGS. 54-55 UTILITY SKISSTRACTION OILS & LUBE BELTS ALCOM TRAILERS

### IQ® DECAL KITS

FITMENT: Fits all IO® hoods.

MATERIAL: Made of the same premium 2 mil film as all Polaris® production decals.

ATTACHMENT: Easy to apply with 3M®† patented "Comply" technology with air release channels to eliminate bubbles, "Controltac" backer allows the decals to be lightly tacked down without becoming permanent until squeegeed down.

E. 2203833 | Race Decal Kit

F. 2204540 | Canadian Decal Kit

\* MY '09-11 550 Shift may require decal modification


### **POLARIS® DECALS**

» Show your Polaris® pride on your trailer, truck or fridge!

**G. 2851012-01** | "Polaris" decal 14" x 2" | White H. 2851013-01 | "Polaris" decal, 40" x 5.5" | White







# STYLE & BODY





- » Strong, durable handguards install easily and provide outstanding protection for a rider's hands in all conditions.
- » Handguards block wind, snow, ice, branches, etc.
- » Mounts sold separately.

MATERIAL: Durable, impact-resistant plastic. FITMENT: Not compatible with 12" - 20" windshields. INSTALLATION: Mounts required; sold separately.

ADDITIONAL FEATURES: Added wind/snow protection, Sold in pairs.

A. 2879192   Handguard   Black	
<b>B. 2879194</b>   Handguard   White	
C. 2879193   Handguard   Red	
D. 2879154   Straight Mount	
E. 2879190   Pro Taper Mount	









### F. MOUNTAIN BAR

- » More control for deep snow and sidehilling.
- >> 14" long with universal mounts.
- » Raised Polaris® logo.
- » Includes all necessary mounting hardware.

2877456-293 | Mountain Bar | Red 2877456-070 | Mountain Bar | Black

### G. PRO-RIDE™ KNEE PADS

- » Protects knees from impact against the console.
- » 3/8" thick foam.
- » 3M®† adhesive backing for premium adhesion.

2878195 | All PRO-RIDE" includes '13 INDY'

### H. IQ® SNOW FLAPS

- » Durable, impact-resistant plastic.
- » Shields from kicked-up snow and ice.
- » Fits all IQ® Models.
- » Includes all necessary mounting hardware.

**2875078-293** | IQ\*Snowflap | Red

### I. HANDLEBAR HOOKS

- » For aggressive and mountain riding.
- » Comfortable molded plastic; warmer than metal hooks.
- » Does not fit with Pro Taper handlebars.

2872482-070 | Short 45° | Black, Each 2872482-293 | Short 45° | Red, Each 2872483-293 | Long 90° | Red, Each 2872483-070 | Long 90° | Black, Each



### J. IQ® NEW BUMPER/PLASTIC KIT

- » Update the styling of your '07-09 IQ.®
- >> 3 lb. weight reduction.
- » Includes nosepan, aluminum bumper, left and right fenders, all necessary hardware and detailed instructions.

### 2876986 | '07-09 I0"

\* Does not fit models with front cooler

# SEATS //



### K. LIGHTWEIGHT RMK® SEAT

This Lightweight RMK® Seat is the same as a MY 13 Pro RMK® seat, and is designed to provide greater comfort and enhanced ergonomics. This seat is more than 1 pound lighter compared to a '08 -'12 seat. It is wider and flatter for greater comfort when a rider is seated, and the front section of the seat retains the narrow profile to optimize space and maneuverability for a standing rider.

POLARIS INNOVATION

- » Wider, flatter seat surface; narrow front of seat for easy stand-up riding.
- >> Shorter seat allows easier side-to-side movement of feet and legs.
- » New rear seat support and hardware included.

**2879089** | '08-13 RMK<sup>®</sup>, '11-13 Switchback<sup>®</sup> Assault<sup>®</sup>

# 2"WIDER IN THE SWEET SPOT THAN A RUSH® SEAT FOR ADDED COMFORT

### L. COMFORT SEAT FOR RUSH®

This Comfort Seat provides a broader saddle and enhanced cushioning to give a rider a more comfortable ride, especially during long days spent on the sled. This multipaneled seat installs in place of the stock seat on RUSH® models and it offers an ideal combination of cushion and support.

MATERIAL: Durable leather-like vinyl, red, white, black.

ADDITIONAL FEATURES: 2" of width added in "sweet spot," gradual taper for wider range of riders and rocker added for stability and support.

2878722 | '10-12 RUSH®



COVERS PGS. 38-39

STORAGE PGS, 40-45

WIND PROTECTION PGS. 46-47

SLED PROTECTION

STYLE & BODY PGS. 50-53

SEATS PG. 53

PERFORMANCE PGS. 54-55

UTILITY PG. 57

SKIS & TRACTION

OILS & LUBE PGS. 64-65

# PERFORMANCE //





### 60mm

### D. HANDLEBAR RISER / ALUMINUM

2876264 | '07-111Q", RMK, "2.38" Handle Bar Riser 2876265 | '07-111Q", RMK, "3.75" Handle Bar Riser 2876266 | '07-111Q", RMK, "5.25" Handle Bar Riser

### E. ROX ADJUSTABLE BAR RISER

- » Aluminum construction.
- » Tool-less adjustability.
- » Adjust your handlebar from 4" to 6" height.

2878740 | '10-13 RUSH', '12-13 Switchback'

### \_\_\_\_\_

- $\,$   $\,$  Allow heat from resonator and clutch to flow out of engine compartment.
- **»** Hydrophobic screen material is water repellent and blocks water ingestion.
- » Benefits include enhanced performance, reduced belt wear (from lowered underhood temperature) and reduced stagnant underhood hot air.
- » All mounting hardware included; requires cutting.
- » Race application only.

A. 2878181 | All PRO-RIDE\*, Hood Vents

B. 2878454 | All PRO-RIDE™, Side Panel Vents

C. 2878453 | All PRO-RIDE", Lower Fender Vents



### **WALKER EVANS**\*: ADJUSTABLE PERFORMANCE SHOCKS



### WALKER EVANS® NEEDLE SHOCKS WITH COMPRESSION ADJUSTMENT.

Premium shocks with external compression and remote reservoirs offer the best in tunability and fade-proof performance. Unique needle design uses hydraulic force at the end of the stroke to minimize harsh bottoming.

### F. WALKER EVANS® CR IFS SHOCKS

- » High-performance trail shocks that offer a wide range of adjustment, from extremely compliant for trail chatter to very aggressive for big hits.
- » Compression and rebound adjustment.
- » External compression adjustment offers wide range for all riding styles.
- >> Springs included.
- » Piggyback-style is the ideal fit for IQ® plastic with aluminum front bumper.

2878738 | '12-13 RUSH', '12-13 Switchback' Assault', '12-13 Switchback', Pair

### G. WALKER EVANS® PIGGYBACK NEEDLES

- » High-performance trail shocks that offer a wide range of adjustment, from extremely compliant for trail chatter to very aggressive for big hits.
- » This is enhanced by exclusive Internal Needle Valve Technology that resists bottoming and allows use of the full shock stroke as much as possible.
- » External compression adjustment offers wide range for all riding styles.
- » Springs included.
- » Piggyback-style is the ideal fit for IQ® plastic with aluminum front bumper.

2878194 | '07-13 IQ" 121, Switchback', w/new plastic, Front, Single

2878252 | RMK°Length, Front, w/new IQ°-style plastic, Single

 $\textbf{2876670 | Assault}^{\texttt{0}} \, \textbf{Rear} \, (\texttt{coil-over} \, \texttt{front} \, \texttt{track} \, \texttt{shock}, \, \texttt{clicker} \, \texttt{rear} \, \texttt{track} \, \texttt{shock})$ 





STORAGE PRS, 40-45

WIND PROTECTION PGS. 46-47

SLED PROTECTION

MOUNTAIN

STYLE & BODY PGS. 50-53

SEATS PG. 53

Pb. 33

### PERFORMANCE DGG 5/1-55

COMFOR

UTILITY

SKIS & TRACTION

OILS & LUBE PGS. 64-65

BELTS

ALCOM TRAILERS



- >> Setting the rear spring preload is the key to RUSH® rear suspension performance.
- >> Tune your RUSH® rear suspension for your weight.
- >> Stock is recommended for 120 250 lb. riders.
- » Spring requires appropriate gauge.

7043585-385	Heavy Spring (240 - 335 lb. rider)
5253855	Heavy Gauge (240 - 335 lb. rider)
7041575-385	Light Spring, 90 - 150 lb. rider
5253854	Light Gauge (90 -150 lb. rider)





### H. REAR OUTER WHEEL KIT

- » Necessary on an IQ® Shift® for studding track.
- >> Comes complete with wheels, bearings and hardware for a three wheel axle assembly.

2876337 | '08-13 IQ" Shift"

### I. SAWTOOTH BRAKE DISC

- » 1 lb. weight savings.
- » Less rotating mass.
- $\gg$  Improved acceleration.

### **2878739** | '10-13 PRO-RIDE" Models\*

\* EXCLUDES PRO-R & PRO-RMK\*

# **COMFORT**

### A. HANDLEBAR GAUNTLETS

- >> Protects hands against wind, cold and snow spray.
- » Large opening provides easy access for hands and gloves.
- » Easy slide-on/off installation and removal.
- » Fleece lining for warmth and comfort.

### 2879155 | Universal Fit, Handlebar Gauntlets, Pair\*

\*Also fits touring passenger handles



### **B. HOOD MOUNT MIRRORS**

- » Wide-angle view for good visibility, non-fogging glass.
- » Folding design for use with cover.
- » Custom-designed, integrated hood mount style.
- » Includes all hardware.

2877803 | All PRO-RIDE™ Includes '13 INDY®, Pair

2873751 | EDGE" Mirror, Pair

### C. HANDLEBAR MIRRORS

- » Installs to any IQ®or PRO-RIDE™ handlebar.
- » Can be used with stock handlebar pad.

2876297 | Handlebar Mirrors, Pair

### D. SINGLE PIVOT MIRROR

- » Non-fogging glass with wide-angle view.
- » Single pivot fits riders of all heights.
- » Universal fit.

### 2870938 | Universal Fit, Single Pivot Mirror, Pair\*

\* Limited Quantity

### E. DUAL PIVOT MIRROR FOR IQ®

- » Non-fogging glass, wide-angle view.
- » Hood mounted, dual pivot design for fully adjustable positioning.
- » Fits with covers.

### 2878634 | IQ®, Pair













### F. PASSENGER HANDWARMER KIT

» Electric warming kit used with warming gauntlet.

**2878201** | '11-13 550 IQ°LXT, 2-up seat kit

### G. 12 VOLT & RCA PLUGS

- $\boldsymbol{\gg}$  12v accessory plug in 12-volt outlet, great for GPS or phone, dash mount.
- $\ensuremath{\boldsymbol{\mathcal{P}}}$  RCA adapter allows you to plug in a heated face shield.
- » RCA Power Plug includes all hardware required to add an RCA outlet.

2878475 | All PRO-RIDE", IQ", 12V 2878227 | All PRO-RIDE", IQ", RCA Adapter 2878780 | All PRO-RIDE", IQ", RCA Power Plug

\* All IQ® except 600 carb





### H. KEY-OPERATED ELECTRIC START KITS

- » This is the ultimate convenience feature you can add to your sled.
- >> Easier to use and more consistent than pull starts.
- » Nice for extreme cold conditions.
- » Electric Start Kits do not include batteries.

2878250 | All PRO-RIDE" Includes '13 INDY®

2877257 | '08-12 IQ" 600/700/800 Cleanfire

2878796 | '09-13 IQ" 550 Fan

### I. ELECTRIC START KIT BATTERIES (NOT SHOWN)

- » Good cranking amps for starting and plenty of capacity for accessories.
- » Easy to see electrolyte check.
- » Competitively priced.

4010774 | All IQ® Touring Models '06-current



### J. BATTERY HEATERS

» Warms your battery and engine for easier cold weather starting.

2411109 | 110V Battery Heater - FS / FST

### K. PROJECTOR BEAM (NOT SHOWN)

- » 55 watts, 200% brighter than stock lighting.
- » Emits 100 yard beam of light, works on high beam only.

**2874969** | Projector Beam, '07-12 IQ" Cleanfire, FS / FST '06-12



### L. RECEIVER HITCH

- » Receiver style hitch.
- » Accepts following tow hitches: J-Hitch, Standard Hitch, Donut Hitch.

2878683 | PRO-RIDE™ Hitch, '10-13 RUSH® & '12-13 Switchback®

2876562 | '05-11 IQ" 121"-136" Hitch, '11-13 550 LXT

2878344 | '07-11 IQ" RMK" Hitch, '11-13 PRO-RIDE" RMK"

2879236 | Indy® Hitch

2876059 | '07-13 IQ" Touring Hitch, Turbo / 600 LXT

2876058 | EDGE® Touring Hitch

2875118 | '11-13 Switchback" Assault", '05-06 IQ" RMK" 144"-151"\*

2874177 | EDGE® 121", Switchback®, RMK® Swivel Hitch

\* Limited Quantity



### N. RECEIVER HITCH DRAW BARS

- » Safety lock pin.
- » Heavy-duty steel rod hook.
- » Durable e-coat and black powdercoat finish.
- » Mounting lock pin for added safety.
- $\boldsymbol{\mathsf{y}}$  J hitch features a safe spring-loaded lock plate.
- $>\!\!>$  Donut hitch receives up to 1" ropes, wires or tow hooks.

2876711 | "J" Hitch

2874448 | "J" Hitch, IQ\* Touring models

2876677 | Standard Hitch

2874449 | Donut Hitch



### O. TIE DOWN STRAPS

» Reliable high-test tie down, secure sleds quickly & confidently.

2871182 | (2) Pack | Red

2871181 | (2) Pack | Black

### P. SLED DOLLIES

» Move that sled around the garage with ease.

2856656 | Red

2013AC

COVERS PGS. 38-39

STORAGE PGS. 40-45

**WIND PROTECTION** PGS. 46-47

SLED PROTECTION PG. 48

**MOUNTAIN** PG. 49

STYLE & BODY

SEATS

PERFORMANCE PGS. 54-55

COMFORT PG 56

PG. 57

SKIS & TRACTION

OTLS & LUBE PGS. 64-65

REITS

PG. 66

ALCOM TRAILERS

# s & Traction 📈 NEW NEW NEW NEW

### DEEP SNOW SKIS

### A. GRIPPER SKI The standard in deep snow performance

- » Deeper upper and lower keel design allows for the best performing ski in loose and hardpacked snow conditions.
- » Integrated traction on top of ski for superior grip.
- >> Deep, 1½" keel for positive steering in loose snow.
- » Large, forward biased rocker for reduced steering effort.
- >> Wide, 6¾" ski for increased flotation.
- » Includes ski toe & hardware. Carbide skags required sold separately- see chart to the right

2877679-570 | '07-13 RMK", '11-13 Switchback" Assault" | White, Each
2877679-293 | '07-13 RMK", '11-13 Switchback" Assault" | Red, Each
2877679-070 | '07-13 RMK", '11-13 Switchback" Assault" | Black, Each

### PERFORMANCE SKIS

### **PRO-STEER SKI**

- » The Pro-Steer™ Ski features a reshaped keel and shortened skag for reduced steering effort.
- » Redesigned ribs atop the ski increase torsional stiffness for more precise steering.
- » Bosses added atop the ribs provide traction to prevent slipping when stepping on the ski.
- » Retro fits earlier model year Polaris® sleds.
- » Includes ski toe & hardware.

B. 2879152-293 | '12-13 RUSH', Switchback', '13 INDY' | Red, Each

C. 2879152-070 | '12-13 RUSH', Switchback', '13 INDY' | Black, Each

D. 2879152-133 | '12-13 RUSH', Switchback', '13 INDY' | White, Each

### E. POLARIS® IQ2 SKI Improved performance, control and cornering

- » Aggressive profile for improved trail control.
- >> Upgrades easily from a steel ski, includes ski toe & hardware.
- » Less handlebar vibration, smoother feeling ride.
- » Carbide skags required sold separately see chart to the right.

2877680-293 | IQ\* '10-11 RUSH\* | Red, Each

### $\textbf{F. POLARIS} @ \ \textbf{IQ} @ \ \textbf{RACE SKI} \ \textit{The race-proven ski for aggressive cornering (NOT SHOWN)}$

- » Factory race proven, aggressive 90° snocross keel.
- » Provides improved control and better cornering, reduces darting.
- » Wide tip for increased flotation.
- >> Includes ski toe 6 hardware. Carbide skags required sold separately see chart to the right.

**2900256-070** | IQ\* | Black, Each

### $\textbf{G. POLARIS} \textbf{@ SADDLELESS SKI} \ \textbf{Agreat upgrade from a steel ski (NOT SHOWN)}$

- » Improved control, includes hardware and ski stop
- » Less handlebar vibration, Smoother feeling ride.
- » Carbide skags required sold separately see chart to the right.

**2874186-070** | IQ\* | Black, Each

### H. POLARIS® SKI TOES

» Fits all Polaris® composite skis for that customized sled look.

2876062-293 | Fits on Gripper and Pro-Steer™ Skis | Red, Pair



Ski Type	Note	Style	3" Carbide	4" Carbide	6" Carbide	8"Carbide
		01,10	0 04.2.40		0 0412140	
Pro-Steer™ Ski	MY12-13			2879025	2879026	2879027
RUSH® Ski	MY10-11	60°	2878524	2875716	2875613	2875614
IQ2 Trak Ski	MY07-13	60°	2875954	2875612	2875613	2875614
IQ® Trak	MY06 Fusion	60°	-	2875716	-	-
IQ® Trak Dual Ski	MY 06-13 2 Per Kit, 1 Kit Per Ski	60°	-	2875431	2874852	2874853
Gripper Ski	MY07-13 Pair	60°	2875723	-	2877880	2877881
Saddleless & Composite Ski		60°	-	2871688	2871687	2871602
1	n-t-	60° – Wi	th Wear Pad	-	-	2872282
	Pair	90°	2872566	2873277	2873894	-
		120°	2871815	-	-	-
	EZ Steer	60°	-	2872493	2872494	-
	(Composite	60°	2872412	-	-	-
	Ski Only)	Steel Plat	es, Pair – 2872498			
		60°	-	2875430	2874628	2874629
	Accu-trak Dual Runner	A +   D   D				
Sidehiller Ski	2 Per Kit, 1 Kit Per Ski	60°	-	2874334	2875146	2875147
Widehiller Ski	Pair	60°	-	2875987	-	-
Polaris® Race Ski	Pair	60°	-	2875142	2875143	2875145
Steel Ski	Pair	60°	2870693	2871288	2871601	2871602
	EZ Steer	60°	-	2870997*	2871603	2871416
	Steel Plat	es, Pair – 2872498				

<sup>\*</sup> Limited Quantity

COVERS PGS. 38-39

STORAGE PGS. 40-45

WIND PROTECTION PGS. 46-47

SLED PROTECTION PG. 48

**MOUNTAIN** PG. 49

STYLE & BODY PGS. 50-53

SEATS PG. 53

PERFORMANCE PGS. 54-55

COMFORT

UTILITY PG.57

### SKIS & TRACTION PGS. 58-63

OILS & LUBE PGS. 64-65

> ELTS 6.66

ALCOM TRAILERS PG. 67




Determine how to match your riding style and sled model to the correct

2) Determine the right type and length of turning carbides necessary to balance traction and optimize steering.

number of studs, type of studs and stud pattern.

3) Make sure you have the necessary parts installed to prevent the studs from damaging your sled's tunnel and cooling system.



	EARSTRIP FIT CHART

STUD	QUANTITY

MODEL	TRACK	TRACK LENGTH	LUG HEIGHT	STUD SIZE	TUNNEL PROTECTION	TRAIL	INTERMEDIATE	PERFORMANCE
550 IQ® LXT	5413318	15" X 136"	1.000	1.075	2877687	108	144	162
550 IQ® Shift	5412281	15" X 121"	0.910	1.075	2877744	96	144	162
550 IQ® Shift 136"	5411955	15" X 136"	1.250	1.325	2877687	108	144	162
550 IQ® Shift 136" CANADA	2877378	15" x136"	1.352	1.325/1.450	2877687	108	144	162
600 IQ® LXT	5413318	15" X 136"	1.000	1.075	2875414	108	144	162
600 Indy®	5412281	15" X 121"	0.910	1.075	2879212	96	144	162
600 Indy® SP	5413198	15" X 121"	1.000	1.075	2879212	96	144	162
600 Rush®	5413198	15" X 121"	1.000	1.075	Standard*	96	144	162
600 Rush® Pro-R	2875512	15" X 121"	1.250	1.325	Standard*	96	144	162
600 Switchback®	2875639	15" X 136"	1.250	1.325	Standard*	108	144	162
600 Switchback Adventure™	2877678	15" X 136"	1.352	1.325/1.450	Standard*	108	144	162
600 Switchback® Pro-R	2877678	15" X 136"	1.352	1.325/1.450	Standard*	108	144	162
800 Rush®	5413198	15" X 121"	1.000	1.075	Standard*	96	144	162
800 Rush® Pro-R	2875512	15" X 121"	1.250	1.325	Standard*	96	144	162
800 Rush® Pro-R LE	2875639	15" X 121"	1.352	1.325/1.450	Standard*	96	144	162
800 Switchback®	2875639	15" X 136"	1.250	1.325	Standard*	108	144	162
800 Switchback® Pro-R	2877678	15" X 136"	1.352	1.325/1.450	Standard*	108	144	162
800 Switchback® Assault®	5414013	15" X 144"	1.352	1.325/1.450	2878161	144	152	171
Turbo IQ® LXT	5413318	15" X 136"	1.000	1.075	2875414	108	144	162

 $<sup>^{\</sup>star}$  Reference Team Tip S-11-10-02 when installing optional accessory tracks on this model.





### **GRIP KIT STUDS**

2070EEE | 00 000k 11112 DHCU\* 0x0-0 | 1 225"

28/6555   96 Pack, 11-13 RUSH Pro-R   1.325"
<b>2876557</b>   144 Pack, '11-13 RUSH' Pro-R   1.325" (Double Backer)
<b>2878523</b>   171 Pack, '11-13 RUSH' Pro-R   1.325" (Double Backer)
<b>2876556</b>   96 Pack, '11-13 RUSH"   1.075"
<b>2876558</b>   144 Pack, '11-13 RUSH"   1.075″
<b>2876555</b>   96-1.325" Studs, Backers, Marker, Drill Bit
<b>2876557</b>   144-1.325" Studs, Backers, Marker, Drill Bit
<b>2876556</b>   96-1.075" Studs, Backers, Marker, Drill Bit
2879157   96 Pack, '11-13 RUSH", '12-13 Switchback"   1.45″ NEW
2879158   144 Pack, '11-13 RUSH", '12-13 Switchback"   1.45" NEW
2879159   171 Pack, '11-13 RUSH", '12-13 Switchback"   1.45" NEW
2876558   144-1 075"Stude Rackers Marker Drill Rit



### **WEAR STRIP KITS**

» Protects tunnel when installing studs

2877687 | '08-'12 121" IQ\* | '08-'13 IQ\* Swtichback\* 136"

| '10-'12 I0°LX | '11-'13 550 LXT

2877744 | '09-'13 550 Shift 121"

2875640 | M-10 equipped Fusion, Classic, IQ\*LX 128"

2875414 | '06-'13 IQ" Touring, Turbo LXT, 600 LXT

2874674 | EDGE®Touring & Transport

2874687 | Fusion\*121" non M-10 '05-'06, IQ\* '07, '06-'12 121" Turbo

2875415 | '05-'07 IQ" Switchback"

2875029 | Edge Switchback\*, '03 SKS

2879212 | '13 600 Indy"

2878532 | '10-'11 RUSH"

2878161 | '11-'13 Switchback® Assault®

2876837 | 600 RR

\* Reference Team Tip S-11-10-02 when installing on '12-13 RUSH" and Switchback"



### 24 PACK STUDS

2873133 | Traction Master\*5/16, 1.075" 24pk 2873135 | Traction Master\*5/16, 1.325" 24pk 2875148 | Signature Series 5/16, 1.325" 24pk 2879160 | Signature Series 5/16, 1.45" 24pk

### **96 PACK STUDS**

2871415 | Traction Master 5/16, 1.075 96pk 2873139 | Traction Master 5/16, 1.325 96pk 2875155 | Signature Series 5/16, 1.075" 96pk 2875149 | Signature Series 5/16, 1.325" 96pk 2879161 | Signature Series 5/16, 1.45" 96pk

### **144 PACK STUDS**

2873140 | Traction Master 5/16, 1.075" 144pk 2873141 | Traction Master 5/16, 1.175 144pk 2873142 | Traction Master\*5/16, 1.325" 144pk 2879162 | Signature Series 5/16, 1.45" 144pk

### 1,000 PACK STUDS

2873148 | Traction Master\*5/16, 1.075"1,000pk 2875156 | Signature Series 5/16, 1.075"1,000pk 2875150 | Signature Series 5/16, 1.375" 1,000pk 2879163 | Signature Series 5/16, 1.45" 1,000pk

SQUARE BACKER PLATE





ROUND BACKER PLATE

### **BACKER PLATES, ALUMINUM**

2873151 | Square Backer Plate Aluminum - 5/16 (24pk) 2873153 | Square Backer Plate Aluminum - 5/16 (96pk) 2871932 | Square Backer Plate Aluminum - 5/16 (144pk) **2873988** | Square Backer Plate Aluminum - 5/16 (1,000pk) 2874324 | Round Backer Plate Aluminum - 5/16 (24pk) 2874325 | Round Backer Plate Aluminum - 5/16 (96pk) 2874329 | Round Backer Plate Aluminum - 5/16 (1,000pk)



STUDDING TEMPLATES

2878247 | 2.86" Pitch Studding Template, Cardboard

2875157 | 2.52" Pitch Studding Template, Plastic

COVERS PGS. 38-39

STORAGE PGS, 40-45

WIND PROTECTION PGS. 46-47

SLED PROTECTION

MOUNTAIN

STYLE & BODY PGS. 50-53

SEATS PG 53

PERFORMANCE PGS. 54-55

UTILITY

### SKIS & TRACTION

OILS & LUBE

ALCOM TRAILERS



SERIES 5.1 TRACK »



- » Industry leading deep powder track. For 8T Drive sprockets, 2.86" pitch. Available in 146," 155" and 163" lengths.
  - » Optimized lug pattern producing 19% more forward lug contact compared to our Series 5.0 track
  - » Soft and flexible tips for superior performance in deep snow

SERIES 4
TRACK »



- >> The standard in 2" deep snow tracks. For 9T Drive sprockets, 2.52" pitch. Available in 144," 151," 159" and 166" lengths.
  - » Equal parts versatility and durability
  - >> Stiff lug base for long wear and hard-pack performance
  - » Soft and flexible tips for superior performance in deep snow

DEEP SNOW:
COMPETITION
TRACK »



- >> The proven 2.125" hillclimb track. Available in 146" and 155" lengths.
  - >> Hillclimb-specific pattern
  - >> Stiff durometer construction for maximum traction in hard snow
  - >> Pre-ported for better snow cleanout

CROSSOVER: COBRA TRACK »



- » The trail track that puts more power to the snow. Excellent powder performance without compromising trail ride ability. Available in 120," 121," 136" and 146."
  - » Rigid columns for good hard pack capability
  - » Stepped columns and angled cutting edge enhance traction, improved handling in corners
  - >> Connected "cupped" lugs for outstanding performance in soft/loose snow

ON-TRAIL: RIPSAW TRACK »



- » The aggressive side bite for better cornering, the standard in performance trail tracks. Available in 120," 121," 128" and 136" lengths.
  - » A high-performance trail track with highly aggressive angled profiles
  - » Outstanding forward and lateral bite
  - >> Superior handling and acceleration in wide variety of conditions





### A. 68" TRACKS // 2.86" PITCH

5411751	68" x 10 x .72" Tri-Star
---------	--------------------------

B. 120" TRACKS // 2.86" PITCH	RECOMMENDED STUD LENGTH	
<b>5413645</b>   120"x 1.25" RipSaw	1.325	
<b>2877748</b>   120" x 1.352" Cobra	1.325/1.450	
2877747   120" x 1.5" RipSaw	1.575	

C. 121" TRACKS // 2.52" PITCH	RECOMMENDED STUD LENGTH
<b>5413109</b>   121" x .66" Lightning <sup>1</sup> / <sub>3</sub> Clipped	.875
<b>5412281</b>   121" x 15" x .82" Mod Lightning	.92
<b>5413108</b>   121" x .82" Lightning 1/3 Clipped	.92
<b>5412281</b>   121" x 15" x .91" Shockwave	1.075
<b>5413198</b>   121" x 15" x 1" HackSaw	1.075
<b>5412645</b>   121" x 15" x 1" RipSaw	1.075
2875512   121" x 15" x 1.25" RipSaw	1.325
<b>5412728</b>   121" x 1.25" Shockwave Snow X	1.325
2877377   121" x 15" x 1.352" Cobra	1.325/1.450
<b>5412197</b>   121" x 14" x 1.375" Shockwave	1.450
5413384   121" x 15" x 1.5" RipSaw	1.575
<b>5412570</b>   121" x 14" x 1.75" SNO-X	N/A
<b>5413000</b>   121" x 14.75" x 1.75" X-CEL*	N/A
<b>5413403</b>   121" x 14.75" x 1.75", SNO-XT Full Cl	ipped* N/A
*Race Only	

D. 128" TRACKS // 2.52" PITCH	RECOMMENDED STUD LENGTH	
<b>5412943</b>   128" x 15" x 1" HackSaw	1.075	
<b>5412616</b>   128" x 15" x 1.25" RipSaw	1.325	

E. 133" TRACKS // 2.52* PITCH	RECOMMENDED STUD LENGTH	
<b>5411687</b>   133" x .82" Lightning	.92	

F. 136" TRACKS // 2.52" PITCH	RECOMMENDED STUD LENGTH
<b>5413318</b>   136" x 15" x 1" HackSaw	1.075
<b>5413070</b>   136" x 15" x 1"	1.075
<b>5411955</b>   136" x 15" x 1.25" Shockwave	1.325
2875639   136" x 15" x 1.25" RipSaw	1.325
2877378   136" x 15" x 1.352" Cobra	1.325/1.450
<b>5413543</b>   136" x 15" x 1.5" RipSaw	1.575
<b>2877246</b>   136" x 15" x 1.75"	N/A
<b>2877209</b>   136" x 15" x 2" Challenger Deep Sno	DW N/A

<sup>\*</sup>Can't use wear strips or studs on '09-12 Switchback® with these tracks

### G. 144" TRACKS // 2.52" PITCH

<b>5412168</b>   144" x 1.25"	
<b>5413040</b>   144" x 1.5"	
<b>5414013</b>   144" x 1.352" Cobra	
5413073   144" X 2" Series 4 - LW	

### H. 146" ASSAULT® TRACKS // 2.86" PITCH

2877388   146" x 1.352" Cobra
<b>5413490</b>   146" x 2.125" Competition
2877305   146" x 2.4" Series 5.1

### I. 151" TRACKS // 2.52" PITCH

5412913	151" x 1.875" Mountain Extreme – 12P
5412886	151" x 2" Series 4 – 12P

### J. 155" TRACKS // 2.86" PITCH

<b>5413622</b>   155" x 2.4" Series 5.1
<b>2877304</b>   155" x 2.125" Competition

### K. 156" TRACKS // 2.52\* PITCH

<b>5411682</b>   156"x20"x1"Shockwave
<b>5413426</b>   156" x 20" x 1.25" Shockwave

### L. 159" TRACKS // 2.52" PITCH

<b>5412889</b>   159" x 2" Series 4	
<b>5412884</b>   159" x 2.4" Series 4 12P	

### M. 163" TRACKS // 2.86" PITCH

54	1362	IJ	163	" x 2	.4" 9	Geri	es	5.]	L

### N. 166" TRACKS // 2.52" PITCH

**5412444** | 166" x 2.4" Series 4

COVERS PGS. 38-39

PGS. 40-45

**WIND PROTECTION** PGS. 46-47

SLED PROTECTION PG. 48

**MOUNTAIN** PG. 49

STYLE & BODY PGS. 50-53

G. 53

PERFORMANCE PGS. 54-55

COMFORT

UTILITY PG. 57

### SKIS & TRACTION

OILS & LUBE PGS. 64-65

BELTS

ALCOM TRAILERS

# DILS & LUBE 🚧



### PURE POLARIS®: TECHNOLOGY DRIVEN LUBRICANTS

When it comes to maintaining top performance out of your Polaris® snowmobile, there is no better choice than Pure Polaris® lubricants and fuel. We engineer products that meet the ever evolving technology of today's high-performance engines. Designed and tested in conjunction with motors as they're developed ensures you get an oil perfectly matched for your sled.

- » ENGINE TECHNOLOGY: Tighter tolerances, higher operating temperatures and new technologies drive the need for better performing oil
- » EMISSIONS REQUIREMENTS: The performance levels of today's engines combined with need for low emissions, makes a clean burning oil essential
- » RESPONDING TO CUSTOMERS' NEEDS: Polaris® understands the rider and designs oil to meet customer needs with attributes such as easy-start and smokeless/low-odor formulations

RATED ON A SCALE OF: BEST BETTER GOOD	EASY START	PURE SYNTHETIC	HIGH RPM
VES RACING SYNTHETIC	•	•	•
VES GOLD PLUS	•	•	•
PREMIUM SYNTHETIC	0	•	0



### A. VES RACING SYNTHETIC 2-CYCLE OIL

- » Designed to optimize the performance of VES systems.
- » The best engine and exhaust valve detergency available.
- » Additional anti-wear additive extends ring, cylinder and bearing life.
- » Pre-mix or injection.
- >> The oil exclusively used by the factory racing team.

2878243	Quart   6 per pack
2878191	1 Gallon   4 per pack
2878244	16 Gallon   1 per pack
2878245	55 Gallon   1 per pack



- » Best low temp performance of all Pure Polaris® oils.
- » Cleaner burning, low odor, smokeless oil formula.
- » Designed to improve exhaust valve performance.
- » Offers maximum engine protection at high RPM.
- » Meets Category IV low temperature requirements.
- » Pre-mix or injection.

2877882	Quart   6 per pack
2877953	2 Quart   8 per pack
2877883	1 Gallon   4 per pack
2877884	2.5 Gallon   2 per pack
2877885	16 Gallon   1 per pack
2877886	55 Gallon   1 per pack
2877892	330 Gallon   1 per pack



### D. PS-4 PLUS SYNTHETIC OIL

- » Full synthetic designed for Polaris® 4-stroke engines.
- >> Excellent cold weather start-ability plus ultimate engine

protection in severe operating conditions.	
<b>2876244</b>   Quart   12 per pack	
<b>2877490</b>   2 Quart   8 per pack	
<b>2876245</b>   1 Gallon   4 per pack	
<b>2876247</b>   16 Gallon   1 per pack	
<b>2876246</b>   55 Gallon   1 per pack	



### E. PS-4 EXTREME DUTY ENGINE OIL

- » Ultimate high temperature engine protection.
- Prevents thermal breakdown.
- Maximum rust and corrosion protection.
- Designed for professional grade and high temp 4-cycle applications.

28/8920   Quart   1	2 per pack
2878922   2 Quart	8 per pack
<b>2878919</b>   1 Gallon	4 per pack
<b>2879003</b>   16 Gallon	1 per pack
<b>2879002</b>   55 Gallon	l 1 per pack



### C. PREMIUM SYNTHETIC BLEND 2-CYCLE OIL

- » Excellent low temperature performance.
- >> Most advanced synthetic blend 2-cycle lubricant on the market.
- » Excellent long term engine protection and detergency.
- » Pre-mix or injection.

2875035	Quart   12 per pack
2875036	1 Gallon   6 per pack
2875038	2.5 Gallon   2 per pack
2875037	16 Gallon   1 per pack
2875039	55 Gallon   1 per pack
2875040	330 Gallon   1 per pack

# WHY PURE POLARIS® VES OILS? LEARN MORE ABOUT CHOOSING THE RIGHT OIL: WWW.PUREPOLARISOIL.COM



### **ENHANCED VALVE CLEANLINESS**

When exhaust valves have hard carbon deposits on them, they can stick and eventually seize, greatly reducing performance. VES Racing & Gold Plus minimize carbon deposits

DIRTY VALVE



### ENHANCED COLD PULL STARTING

Formulated to provide better starting performance in all conditions - including extreme cold temperatures.

**VES RACING & VES GOLD PLUS 65% EASIER TO COLD PULL START** 







### F. 4-STROKE OIL CHANGE KIT

» Kit includes three 1-qt. bottles of premium PS-4 Plus synthetic engine oil, filter and jumper harness.

2875522 | FS | 4 Kits per Case

### G. PREMIUM ANTI-FREEZE

- » Keeps cooling systems flowing at radical sub-zero temperatures.
- Formulated specifically for Polaris® snowmobile and ATV aluminum cooling systems.
- » 60/40 pre-mix with deionized water, effective to -62° F.

2871534 | Quart | 12 per pack

2871323 | Gallon | 6 per pack

**2872278** | 55 Gallon | 1 per pack

### H. SYNTHETIC CHAINCASE LUBE

- Prevents rust, oxidation and corrosion of internal chaincase components.
- >> Synthetic formula engineered and tested by Polaris® for snowmobile chains and sprockets.
- >> Provides maximum protection for extreme operating temperatures.
- » Low sulfur additive resists thermal break-down.

**2873105** | Quart | 12 per pack

2873106 | Gallon | 4 per pack

**2872952** | 2.5 Gallon | 2 per pack

### I. HYDRAULIC BRAKE FLUID

- » Designed for use in Polaris® hydraulic brakes.
- » Superior high temperature characteristics.
- » Anti-corrosive additives extend the life of brake system and ensures consistent, positive braking.

**2872189** | DOT 412 oz. | 12 per pack

### J. GREASE GUN KIT

- » Tough steel construction and pistol grip design.
- Front and top-pipe outlet mounts accept both 6" rigid pipe nozzle and 12"12,000 psi flex hose.
- » Comes with standard zerk fitting.

2871312 | Grease Gun Kit | 4 per pack

### K. ALL SEASON GREASE

Engineered for the pressure and temperature demands of snowmobiles, ATV and watercraft.

2871322 | 3 oz. | 4 packs, 6 per pack

2871423 | 14 oz. | 10 per pack

### L. GAS SHOCK OILS

- » Premium formulas to match every shock.
- » Eliminate fade and freeze up.

2874522 | Walker Evans\*' - 5 wt. - Quart | 6 per pack

**2870995** | Premium FOX\*\* - Quart | 6 per pack

2872279 | Premium FOX\*\* - 2.5 Gallon | 2 per pack

2873716 | Premium RydeFX\* - Quart | 6 per pack

### M. SHOCK ADJUSTING LUBE

- » Allows for easy spring adjustment.
- » Silicone dry film lubricant.
- » Penetrates shock body threads and lubricates spanner nut and threads maintaining adjustability in extreme cold.

2878018 | Shock Adjusting Lubricant | 1 per pack

### N. ISOPROPYL FUEL DE-ICER

- >> High-tech additive prevents fuel line freezing in extreme cold conditions.
- >> Formulated for 2-cycle and 4-cycle Polaris® engines.

2870505 | Quart | 12 per pack

### O. CARBON CLEAN FUEL TREATMENT

- >> Formulated specifically for E10/ethanol gasoline.
- » Dissolves gum & varnish in fuel system.
- » Prevents & cleans carbon in combustion chamber.
- » Excellent fuel stabilizer for storage.
- >> Formulated for 284-cycle Polaris® engines.
- » Absorbs water & stabilizes fuel.

2871326 | 12 oz. | 12 per pack

### P. PREMIUM ETHANOL FUEL STABILIZER

- » Prevents fuel oxidation and system corrosion.
- >> Significantly reduces gum and varnish formation.
- >> Protects fuel system components.
- >> Formulated for 284-cycle Polaris® engines.

2870652 | Quart | 12 per pack

2872280 | 2.5 Gallon | 2 per pack

### Q. 112 OCTANE RACING FUEL (not shown)

- » Consistent blend, excellent shelf life.
- Engineered and tested by the Polaris® Factory Race Team to meet the demands of high-horsepower stock and modified racing engines.
- >> Legal-stock fuel for most race sanctions; dilute to meet specific octane requirements.
- » Maximum horsepower potential.

2877162 | 16 Gallon | 112 Octane

2877163 | 55 Gallon | 112 Octane

PGS. 38-39

STORAGE

WIND PROTECTION PGS. 46-47

SLED PROTECTION

MOUNTAIN

STYLE & BODY PGS. 50-53

SEATS

PERFORMANCE PGS. 54-55

COMFORT PG. 56

**UTILITY** PG. 57

SKIS & TRACTION PGS, 60-63

OTLS & LUBE PGS, 64-65

BELTS

ALCOM TRAILERS



### **SOLUTIONS FOR: E10 GASOLINE**

- Formulated specifically for E10 gasoline
- Designed to address the negative aspects of phase separation common in all Ethanol blended gasoline



### **PURE POLARIS®: DRIVE BELTS**

- » Engineered, tested and guaranteed to fit and perform on Polaris® machines.
- » Lowest tolerances (0.188") provide the most consistent performance.
- » Precision measured to ensure stringent tolerances are met for both length and width.



### COMPOUND AND CONSTRUCTION IDENTIFICATION

### STANDARD // GOOD

- Good trail belt for lower horsepower engines
- Best suited for low speed operation

### CVT // BETTER

- Increased service life over Standard belts
- May need 1-2 grams heavier drive clutch weight over Standard belts

### KEVLAR® // BEST

- Increased service life over CVT belts by
- Cut edges belt; consistent like PBO belts
- Short break-in period
- May need 1-2 grams heavier drive clutch weight over CVT belts

### PBO // ULTIMATE

- Extreme duty belt; longest service life
- CNC ground edges on each belt
- Longer break-in period

### POLARIS® SNOWMOBILE DRIVE BELT MATRIX

Part No.	Belt Width*	Side Angle (Projected) Degrees*	Center to Center*	Outer Circumference*	Belt Compound & Construction Notes
PRO-RIDE	<sup>™</sup> , RUSH®, EDGE, 2-ST	ROKE IQ® & IQ® RMK	® CHASSIS		
3211078	1.438" (36.53mm)	28	11.50"	46.625"	Standard – double cog
3211080	1.438" (36.53mm)	28	11.50"	46.625"	CVT compound version of 3211078
3211086	1.438" (36.53mm)	28	11.50"	46.50"	Standard – Close tolerance version of 3211078
3211122	1.46" (37.10cm)	26	11.50"	46.77"	Kevlar – double cog, cut finish
3211132	1.46" (37.10cm)	26	12.00"	46.77"	Kevlar – double cog, cut finish
3211115	1.46" (37.10cm)	26	11.50"	46.77"	PBO – double cog, ground/sanded finish
FS® / FST®					
3211121	1.46" (37.10cm)	26	11.00"	45.79"	Kevlar – double cog, cut finish
3211127	1.46" (37.10cm)	26	11.00"	45.79"	Kevlar – double cog, cut finish
340 INDY®	LITE CHASSIS				
3211058	1.250" (31.75mm)	28	11.03"	43.313"	Standard – P-90 System
3211059	1.250" (31.75mm)	28	12"	45.215"	Standard – P-90 System
3211060	1.250" (31.75mm)	28		45.605"	Standard – P-90 System
MOST STA	NDARD INDY® CHASS	SIS			
3211042	1.375" (34.93mm)	32	12.00"	47.250"	Standard – P-85 System
3211045	1.375" (34.93mm)	32	12.00"	47.125"	Standard – Close tolerance version of 3211042
3211061	1.375" (34.93mm)	32	12.00"	47.188"	CVT compound version of 3211045
STORM & E	BIG BLOCK DOMESTI	C SLEDS, INDY® & GI	EN II		
3211073	1.438" (36.53mm)	28	12.50"	48.375"	Standard – double cog version of 3211065
3211065	1.438" (36.53mm)	28	12.50"	48.375"	CVT double cog
MOST EVO	LVED CHASSIS, INDY	'® XCR 440, INDY® X	CF		•
3211070	1.375" (34.93mm)	28	12.00"	47.250"	Standard – P-85 System
3211067	1.375" (34.93mm)	28	12.00"	47.250"	Standard – double cog version of 3211070
3211066	1.375" (34.93mm)	28	12.00"	47.250"	CVT double cog version of 3211070
MOST 199:	9 AND NEWER GEN II	(EXCEPT DOMESTI	C BIG BLOCK)		-
3211074	1.438" (36.53mm)	28	12.00"	47.625"	Standard – double cog
3211075	1.438" (36.53mm)	28	12.00"	47.625"	CVT version of 3211074
IQ® RACE (	CHASSIS				
3211104	1.438" (36.53mm)	28	10.625"	44.875"	CVT double cog
					•

<sup>\*</sup>Belt dimensions are given in nominal dimensions. There is a +/- variance for all critical dimensions. Clutch setup must be inspected when a new belt is installed and should be adjusted if necessary. The drive belt is an important component in the CVT system. In order to achieve maximum efficiency from the converter, drive belt deflection (tension), clutch offset and alignment must be adjusted properly. See your Service Manual for further details on drive belt measurement inspection.

# ALCOM® TRAILERS



COVERS PGS. 38-39

> STORAGE DGS /ID-/IS

WIND PROTECTION PGS. 46-47

SLED PROTECTION PG. 48

MOUNTAIN

STYLE & BODY

b. 53

PERFORMANCE

CUMEUD

PG. 56

UTILITY PG. 57

SKIS & TRACTION

OILS & LUBE

BELTS

ALCOM TRAILERS

### » ENCLOSED SNOW TRAILERS



Polaris® enclosed snowmobile trailers incorporate quality, style and versatility into every model in the lineup. Both lightweight and aerodynamic, these trailers will outlast and outperform the competition, for years down the road.

- » Materials and Components: Enclosed snowmobile trailers feature all aluminum box tube construction, torsion ride axles, .030" exterior panels, seamless aluminum roof skins and tapered ramp doors for easy loading and unloading of your sleds and gear.
- **» Models & Sizes:** Enclosed trailers are offered in both 101" (Side-by-Side) and 7' (Inline) box widths, with standard lengths from 10 to 22'.

### OPEN SNOW TRAILERS



The Polaris® line of open snow trailers is manufactured with the true enthusiast in mind. Streamlining the loading and unloading process, these trailers will let you spend more time on the trail and less time at the truck

- » Materials and Components: Featuring all aluminum box tube construction, Marine Tech Aqua Ply decking, powder coated wheels and a fully-adjustable tie down system, Polaris® open snow trailers are built to withstand the best that you (or Mother Nature) can throw at them.
- **» Models & Sizes:** Available in both tilting and drive-on/drive-off configurations, open snow model lengths range from 10 to 20', with capacities for 2 to 4 snowmobiles.

### » SPORT DECKS



The Polaris \* Sport Deck is designed to enhance the versatility of your truck. Mounting easily in the bed of any make or model, you'll find yourself exploring new terrain that was once unreachable while towing a trailer.

- » Materials and Components: Each Sport Deck comes standard with an integrated anchor system, full-length tie down channel, 11' telescoping rear ramp and a removable headache rack. Upgrade to powder coated framework for the extra "icing on the cake."
- **» Models & Sizes:** Polaris® Sport Decks are built standard with a 101" deck width. Optional sliding sides effectively reduce the deck's bulk while not in use.

### **MANUFACTURED BY:**



ALCOM\* Inc. is North America's fastest growing aluminum trailer manufacturer. With a distribution network spanning the continental United States and Canada, ALCOM\* produces a number of nationally recognized brands including Polaris\* Trailers. Offering towing solutions tailored to the snowmobile, ATV/UTV and motorcycle markets, there is no better way to haul your Polaris\* or Victory\* machines, than with a Polaris\* trailer built by ALCOM\* Inc.

